May 23, 2023

Mr. Matthew Griffin Facilities Supervisor Kyrene School District No. 28 8700 South Kyrene Road Tempe, AZ 85284-2197

Subject: 6-Month Surveillance Inspection

Asbestos-Containing Building Materials Kyrene de las Brisas Elementary School

777 North Desert Breeze Boulevard – East #2, Chandler

Dear Mr. Griffin:

FM GROUP INC has completed the 6-Month Surveillance Inspection of Asbestos-Containing Building Materials (ACBM) at the subject school. The forms detailing the results of this reinspection and reassessment of known ACBM are attached.

The attached tables and forms have been updated to reflect the findings as of the date of this Reinspection and should serve as the Management Plan update.

Items of significance are: None

If you have any questions regarding this correspondence, please contact us immediately.

Sincerely,

FM GROUP INC

Michael Hall

AHERA Building Inspector

Zach Ridgeway

AHERA Building Inspector

Attachments: 6-Month Surveillance Inspection Tables

6-Month Surveillance Inspection Forms



6-MONTH SURVEILLANCE INSPECTION ASBESTOS-CONTAINING BUILDING MATERIALS

School/Facility: Kyrene de las Brisas Elementary School	Inspection Date: <u>04/07/2023</u>
Building: Main Building	

Inspector: Zach Ridgeway Cert. No.: 4380-15665-030823 Signature:

Material Description	Material Code		terial erved		aterial ion Status	Material Condition Description	Assessment Classification
				Same	Changed	(If Change Noted)	
Pipe End Sealant (Fire Sprinklers), White, Pliable	M·PSL·15	Υ	N	х			1 2 3 4 5 6 7*
Fire Door Insulation, Wood/Metal Cladding	M·FDI·16	Y	N	Х			1 2 3 4 5 6 7*
Glazed Wall Tile, 4"X4", White, Smooth	M·GWT·20	Y	N	Х			1 2 3 4 5 6 7*
Glazed Wall Tile (Pattern), 4"X4", Gray, Smooth	M·GWT·21	Y	N	Х			1 2 3 4 5 6 7*
Glazed Wall Tile (Pattern), 4"X4", Blue, Smooth	M·GWT·22	Y	N	Х			1 2 3 4 5 6 7*
Grout, Gray, Cementitious	M·GRT·23	Υ	N	Х			1 2 3 4 5 6 7*
Ceramic Mosaic Tile, 2"X2", Gray, Smooth, White Specks	M·CMT·24	Υ	N	Х			1 2 3 4 5 6 7*
Grout, Gray, Cementitious	M·GRT·25	Υ	N	х			1 2 3 4 5 6 7*
Pipe Sealant (Fire Riser), Blue, Pliable	M·PSL·34	Y	N	х			1 2 3 4 5 6 7*
Adhesive (FRP), Brown, Brittle	M·ADH·36	Υ	N	Х			1 2 3 4 5 6 7*
Quarry/Paver Tile, 12"X12", Gray, Smooth, White Specks	M·QPT·37	Y	N	Х			1 2 3 4 5 6 7*
Grout, Gray, Cementitious	M·GRT·38	Y	N	Х			1 2 3 4 5 6 7*
Concrete (Equipment Pad), Gray, Cementitious	M·CON·39	Y	N	Х			1 2 3 4 5 6 7*
Gasket, 10", Black, Vinyl-Like	M·GAS·48	Y	N	Х			1 2 3 4 5 6 7*
Glazed Wall Tile, 4"X6", Gray, Smooth, Black And White Specks	M·GWT·53	Y	N	х			1 2 3 4 5 6 7*
Grout, Gray, Cementitious	M·GRT·54	Υ	N	Х			1 2 3 4 5 6 7*
Quarry/Paver Tile, 12"X12", Gray, Smooth, Black And White Specks	M·QPT·55	Y	N	Х			1 2 3 4 5 6 7*
Grout, Gray, Cementitious	M·GRT·56	Y	N	Х			1 2 3 4 5 6 7*
Spray-Applied Texture, White, Chalky	S·SAT·70	Y	N	Х			1 2 3 4 5 6 7*
Gypsum Wallboard, White, Chalky	M·GWB·71	Υ	N	Х			1 2 3 4 5 6 7*
Joint Compound, White, Chalky	S·JTC·72	Y	N	Х			1 2 3 4 5 6 7*
Built-Up Roofing, Black, Asphaltic, Gray Mineral Cap	M·BUR·74	Y	N	Х			1 2 3 4 5 6 7*
Mastic (Penetrations And Flashings), Black, Tar-Like	M·MAS·75	Y	N	Х			1 2 3 4 5 6 7*
Sealant (Windows, Flashing), White, Pliable	M·SLT·76	Y	N	Х			1 2 3 4 5 6 7*
Sealant (Skylights), Black, Brittle	M·SLT·77	Y	N	Х			1 2 3 4 5 6 7*
Sealant (Flashings), Black, Tar- Like	M·SLT·78	Y	N	Х			1 2 3 4 5 6 7*
Sealant (Parapet), Cream, Pliable	M·SLT·79	Υ	N	х			1 2 3 4 5 6 7*
Built-Up Roofing, Black, Asphaltic, White Coating	M·BUR·94	Υ	N	х			1 2 3 4 5 6 7*



6-MONTH SURVEILLANCE INSPECTION **ASBESTOS-CONTAINING BUILDING MATERIALS**

			terial erved	1	terial on Status	Material Condition Description	Assessment Classification
				Same	Changed	(If Change Noted)	
Fire Door Insulation, Metal/Wood Cladding	M·FDI·100	Y	N	х			1 2 3 4 5 6 7*

*Assessment Classifications

- Damaged or significantly damaged thermal system insulation ACBM. 1.
- Damaged friable surfacing ACBM. 2.
- Significantly damaged friable surfacing ACBM. 3.
- Damaged or significantly damaged friable miscellaneous ACBM. 4.
- 5.
- ACBM with potential for damage.
 ACBM with potential for significant damage. 6.
- Any remaining friable ACBM or friable suspected ACBM. 7.



6-MONTH SURVEILLANCE INSPECTION ASBESTOS-CONTAINING BUILDING MATERIALS

School/Facility: Kyrene de las Brisas Elementary School	Inspection Date: 04/07/2023
Building: Storage Building	

Inspector: Zach Ridgeway Cert. No.: 4380-15665-030823 Signature:

Material Description	Material Material Observed			aterial ion Status	Material Condition Description	Assessment Classification	
				Same	Changed	(If Change Noted)	
Concrete Masonry Unit, 8"X16", Gray, Cementitious, Smooth	M·CMU·01	Y	N	Х			1 2 3 4 5 6 7*
Concrete Masonry Unit (Pattern), 8"X16", Gray, Cementitious, Rough	M·CMU·02	Y	N	х			1 2 3 4 5 6 7*
Concrete Masonry Unit (Pattern), 4"X16", Gray, Cementitious, Rough	M·CMU·03	Y	N	x			1 2 3 4 5 6 7*
Mortar, Gray, Cementitious	M·MRT·04	Υ	N	Х			1 2 3 4 5 6 7*
Concrete (Foundation), Gray, Cementitious	M·CON·05	Y	N	х			1 2 3 4 5 6 7*
Sealant (Doors), White, Pliable	M·SLT·06	Y	N	Х			1 2 3 4 5 6 7*
Built-Up Roofing, Black, Asphaltic, Tan Mineral Cap	M·BUR·07	Y	N	х			1 2 3 4 5 6 7*
Mastic (Flashings), Black, Tar- Like	M·MAS·08	Y	N	Х			1 2 3 4 5 6 7*
Sealant (Flashings), White, Pliable	M·SLT·09	Y	N	Х			1 2 3 4 5 6 7*

*Assessment Classifications

- 1. Damaged or significantly damaged thermal system insulation ACBM.
- 2. Damaged friable surfacing ACBM.
- 3. Significantly damaged friable surfacing ACBM.
- 4. Damaged or significantly damaged friable miscellaneous ACBM.
- ACBM with potential for damage.
- 6. ACBM with potential for significant damage.
- 7. Any remaining friable ACBM or friable suspected ACBM.

6-MONTH SURVEILLANCE INSPECTION TABLE

IN-PLACE ASBESTOS-CONTAINING MATERIALS

MATERIAL SAMPLE CODE	MTL TYPE	MATERIAL DESCRIPTION	MATERIAL LOCATION	ANALYTICAL RESULTS	FRIABILITY	MATERIAL ASSESS. CLASS	MTL QUAN	UNITS
	M/S/T			%/ASSUMED	NF/F	G/D/SD		LF/SF/EA
M·PSL·15	М	Pipe End Sealant (Fire Sprinklers), White, Pliable	Reception	Assumed	NF	G	500	SF
			Nurse					
			Treatment					
			Hall 2					
			Testing					
			Nurse Restroom					
			Storage 3					
			Storage 4					
			Assistant Principal					
			Custodial Office					
			Received					
			Received Closet					
			Riser Room					
			Principal					
			Hall 1					
			Conference 1					
			Staff Men's Restroom					
			Staff Women's Restroom					
			ESL					
			PTSO					
			Electrical 2					
			Electrical 3					
			Art Storage					
			Psychology					
			Special Ed 1					
			Special Ed Restroom					
			Special Ed 2					
			Storage 2					

MATERIAL SAMPLE CODE	MTL TYPE	MATERIAL DESCRIPTION	MATERIAL LOCATION	ANALYTICAL RESULTS	FRIABILITY	MATERIAL ASSESS. CLASS	MTL QUAN	UNITS
	M/S/T			%/ASSUMED	NF/F	G/D/SD		LF/SF/EA
			Special Ed 3					
			Speech					
			Storage 1					
			Boy's Restroom 1					
			Girl's Restroom 1					
			Electrical 1					
			Electrical 4					
			Boy's Restroom 2					
			Girl's Restroom 2					
			Preschool 10					
			Room 10 Restroom					
			Preschool 11					
			Room 11 Restroom					
			Classroom 12					
			Room BO1A					
			Classroom 13					
			Classroom 14					
			Room BOB					
			Classroom 15					
			Pod 1					
			Conference 2					
			Room 17					
			Classroom 20					
			Room 20 Restroom					
			Room BO2A					
	†		Classroom 21					
	†		Room 21 Restroom					
			Classroom 22					
			Room BO2B					+
			Classroom 23					
			Classroom 24					+
			Room BO2C					1
			Classroom 25					+

MATERIAL SAMPLE CODE	MTL TYPE	MATERIAL DESCRIPTION	MATERIAL LOCATION	ANALYTICAL RESULTS	FRIABILITY	MATERIAL ASSESS. CLASS	MTL QUAN	UNITS
	M/S/T			%/ASSUMED	NF/F	G/D/SD		LF/SF/EA
			Pod 2					
			Classroom 30					
			Room 30 Restroom					
			Room BO3A					
			Classroom 31					
			Room 31 Restroom					
			Classroom 32					
			Room BO3B					
			Classroom 33					
			Classroom 34					
			Room BO3C					
			Classroom 35					
			Classroom 40					
			Room 40 Restroom					
			Room BO4A					
			Classroom 41					
			Room 41 Restroom					
			Classroom 42					
			Room BO4B					
			Classroom 43					
			Classroom 44					
			Room BO4C					
			Classroom 45					
			Pod 4					
			Classroom 50					
			Room 50 Restroom					
			Room BO5A					
	1		Classroom 51					
			Room 51 Restroom					
			Classroom 52					
			Room BO5B					
			Classroom 53					
	 		Classroom 54					

MATERIAL SAMPLE CODE	MTL TYPE	MATERIAL DESCRIPTION	MATERIAL LOCATION	ANALYTICAL RESULTS	FRIABILITY	MATERIAL ASSESS. CLASS	MTL QUAN	UNITS
	M/S/T			%/ASSUMED	NF/F	G/D/SD		LF/SF/EA
			Room BO5C					
			Classroom 55					
			Pod 5					
			Multi-Purpose					
			Boy's Restroom 3					
			Girl's Restroom 3					
			Storage 8					
			Storage 9					
			P.E. Office					
			P.E. Storage					
			Kitchen					
			Service Yard					
			Storage 6					
			Storage 7					
			Chair/Table Storage					
			Stage					
			Music					
			Storage 5					
			Classroom 60					
			Room 60 Restroom					
			Room BO6A					
			Classroom 61					
			Room 61 Restroom					
			Classroom 62					
			Room BO6B					
			Classroom 63					
	†		Classroom 64					
			Room BO6C					
			Classroom 65					+
			Pod 6					
			Corridor 1					1
			Corridor 2					+
	-		Corridor 3					

MTL TYPE	MATERIAL DESCRIPTION	MATERIAL LOCATION	ANALYTICAL RESULTS	FRIABILITY	MATERIAL ASSESS. CLASS	MTL QUAN	UNITS
M/S/T			%/ASSUMED	NF/F	G/D/SD		LF/SF/EA
		Corridor 8					
		Corridor 9					
		Corridor 10					
M	Fire Door Insulation, Wood/Metal Cladding	Reception	Assumed	NF	G	2,625	SF
	9	Storage 4					
		Custodial Office					
		Received					
		Riser Room					
		Principal					
		Music					
		Corridor 8					
		Hall 1					
		Staff Men's Restroom					
		Staff Women's Restroom					
		ESL					
		PTSO					
		Electrical 2					
		Electrical 3					
		Art Storage					
1							
1							
							+
	TYPE M/S/T	TYPE DESCRIPTION M/S/T	TYPE DESCRIPTION LOCATION M/S/T Corridor 4 Corridor 5 Corridor 6 Corridor 7 Corridor 8 Corridor 9 Corridor 10 M Fire Door Insulation, Wood/Metal Cladding Storage 4 Custodial Office Received Riser Room Principal Music Corridor 8 Hall 1 Staff Men's Restroom Staff Women's Restroom ESL PTSO Electrical 2	M/S/T	TYPE	TYPE	TYPE

MTL TYPE	MATERIAL DESCRIPTION	MATERIAL LOCATION	ANALYTICAL RESULTS	FRIABILITY	MATERIAL ASSESS. CLASS	MTL QUAN	UNITS
M/S/T			%/ASSUMED	NF/F	G/D/SD		LF/SF/EA
		Preschool 11					
		Classroom 12					
		Classroom 13					
		Classroom 14					
		Classroom 15					
		Conference 2					
		Classroom 20					
		Classroom 21					
		Classroom 22					
		Classroom 23					
		Classroom 24					
		Classroom 25					
		Secured Play Area 3					
		Classroom 30					
		Classroom 31					
		Classroom 32					
		Classroom 33					
		Classroom 34					
		Classroom 35					
	TYPE	TYPE DESCRIPTION	TYPE DESCRIPTION LOCATION M/S/T Girl's Restroom 1 Electrical 1 Electrical 4 Boy's Restroom 2 Girl's Restroom 2 Preschool 10 Preschool 11 Classroom 12 Classroom 12 Classroom 13 Classroom 14 Classroom 15 Conference 2 Classroom 20 Classroom 21 Classroom 21 Classroom 22 Classroom 23 Classroom 24 Classroom 30 Classroom 30 Classroom 31 Classroom 32 Classroom 32 Classroom 33 Classroom 33 Classroom 34	M/S/T	TYPE	TYPE	TYPE

MATERIAL SAMPLE CODE	MTL TYPE	MATERIAL DESCRIPTION	MATERIAL LOCATION	ANALYTICAL RESULTS	FRIABILITY	MATERIAL ASSESS. CLASS	MTL QUAN	UNITS
	M/S/T			%/ASSUMED	NF/F	G/D/SD		LF/SF/EA
			Classroom 50					
			Classroom 51					
			Classroom 52					
			Classroom 53					
			Classroom 54					
			Classroom 55					
			Multi-Purpose					
			Boy's Restroom 3					
			Stage					
			Girl's Restroom 3					1
			Storage 9					
			P.E. Storage					
			Kitchen					
			Service Yard					
			Classroom 60					+
			Classroom 61					+
			Classroom 62					+
			Classroom 63					+
			Classroom 64					+
			Classroom 65					+
			Corridor 1					+
			Corridor 2					+
			Corridor 3					-
			Corridor 4					-
			Corridor 5					-
			Corridor 6					+
			Corridor 7					+
			Corridor 9					+
			Corridor 10					
M·GWT·20	М	Glazed Wall Tile, 4"X4", White,	Nurse Restroom	Assumed	NF	G	9,000	SF
		Smooth				_	-,	
			Staff Men's Restroom					1

MATERIAL SAMPLE CODE	MTL TYPE	MATERIAL DESCRIPTION	MATERIAL LOCATION	ANALYTICAL RESULTS	FRIABILITY	MATERIAL ASSESS. CLASS	MTL QUAN	UNITS
	M/S/T			%/ASSUMED	NF/F	G/D/SD		LF/SF/EA
			Staff Women's Restroom					
			Special Ed Restroom					
			Boy's Restroom 1					
			Girl's Restroom 1					
			Boy's Restroom 2					
			Girl's Restroom 2					
			Room 10 Restroom					
			Room 11 Restroom					
			Room 20 Restroom					
			Room 21 Restroom					
			Room 30 Restroom					
			Room 31 Restroom					
			Room 40 Restroom					
			Room 41 Restroom					
			Room 50 Restroom					
			Room 51 Restroom					
			Boy's Restroom 3					
			Girl's Restroom 3					
			Room 60 Restroom					
			Room 61 Restroom					
			Corridor 5					
M·GWT·21	М	Glazed Wall Tile (Pattern), 4"X4", Gray, Smooth	Nurse Restroom	Assumed	NF	G	1,000	SF
			Staff Men's Restroom					
			Staff Women's Restroom					
			Special Ed Restroom					
			Boy's Restroom 1					
			Girl's Restroom 1					
			Boy's Restroom 2					1
			Girl's Restroom 2					
			Room 10 Restroom					
			Room 11 Restroom					

MATERIAL SAMPLE CODE	MTL TYPE	MATERIAL DESCRIPTION	MATERIAL LOCATION	ANALYTICAL RESULTS	FRIABILITY	MATERIAL ASSESS. CLASS	MTL QUAN	UNITS
	M/S/T			%/ASSUMED	NF/F	G/D/SD		LF/SF/EA
			Room 20 Restroom					
			Room 21 Restroom					
			Room 30 Restroom					
			Room 31 Restroom					
			Room 40 Restroom					
			Room 41 Restroom					
			Room 50 Restroom					
			Room 51 Restroom					
			Boy's Restroom 3					
			Girl's Restroom 3					
			Room 60 Restroom					
			Room 61 Restroom					
M·GWT·22	М	Glazed Wall Tile (Pattern), 4"X4", Blue, Smooth	Nurse Restroom	Assumed	NF	G	1,000	SF
			Staff Men's Restroom					
			Staff Women's Restroom					
			Special Ed Restroom					
			Boy's Restroom 1					
			Girl's Restroom 1					
			Boy's Restroom 2					
			Girl's Restroom 2					
			Room 10 Restroom					
			Room 11 Restroom					
			Room 20 Restroom					
			Room 21 Restroom					
			Room 30 Restroom					
			Room 31 Restroom					
	1		Room 40 Restroom					1
			Room 41 Restroom					
			Room 50 Restroom					+
			Room 51 Restroom					
			Boy's Restroom 3					

MATERIAL SAMPLE CODE	MTL TYPE	MATERIAL DESCRIPTION	MATERIAL LOCATION	ANALYTICAL RESULTS	FRIABILITY	MATERIAL ASSESS. CLASS	MTL QUAN	UNITS
	M/S/T			%/ASSUMED	NF/F	G/D/SD		LF/SF/EA
			Girl's Restroom 3					
			Room 60 Restroom					
			Room 61 Restroom					
M·GRT·23	M	Grout, Gray, Cementitious	Nurse Restroom	Assumed	NF	G	1,000	SF
			Staff Men's Restroom					
			Staff Women's Restroom					_
			Special Ed Restroom					
			Boy's Restroom 1					_
			Girl's Restroom 1					
			Boy's Restroom 2					
			Girl's Restroom 2					_
			Room 10 Restroom					
			Room 11 Restroom					_
			Room 20 Restroom					_
			Room 21 Restroom					_
			Room 30 Restroom					+
			Room 31 Restroom					_
			Room 40 Restroom					+
			Room 41 Restroom					_
			Room 50 Restroom					+
			Room 51 Restroom					_
			Boy's Restroom 3					_
			Girl's Restroom 3					
			Room 60 Restroom					+
			Room 61 Restroom					_
			Corridor 5					
	N 4	Coromic Massis Tile (2)VO2 Core	Nurse Restroom	A 6 2	NF	-	4.000	SF
M·CMT·24	М	Ceramic Mosaic Tile, 2"X2", Gray, Smooth, White Specks		Assumed	INF	G	4,000	5F
			Staff Men's Restroom					
			Staff Women's Restroom					
			Special Ed Restroom					

MATERIAL SAMPLE CODE	MTL TYPE	MATERIAL DESCRIPTION	MATERIAL LOCATION	ANALYTICAL RESULTS	FRIABILITY	MATERIAL ASSESS. CLASS	MTL QUAN	UNITS
	M/S/T			%/ASSUMED	NF/F	G/D/SD		LF/SF/EA
			Boy's Restroom 1					
			Girl's Restroom 1					
			Boy's Restroom 2					
			Girl's Restroom 2					
			Room 10 Restroom					
			Room 11 Restroom					
			Room 20 Restroom					
			Room 21 Restroom					
			Room 30 Restroom					
			Room 31 Restroom					
			Room 40 Restroom					
			Room 41 Restroom					
			Room 50 Restroom					
			Room 51 Restroom					
			Boy's Restroom 3					
			Girl's Restroom 3					
			Room 60 Restroom					
			Room 61 Restroom					
			Corridor 5					
M ODT of					NE	0	100	0.5
M·GRT·25	М	Grout, Gray, Cementitious	Nurse Restroom	Assumed	NF	G	400	SF
			Staff Men's Restroom					
			Staff Women's Restroom					
			Special Ed Restroom					
			Boy's Restroom 1					
			Girl's Restroom 1					
			Boy's Restroom 2					
			Girl's Restroom 2					
			Room 10 Restroom					
			Room 11 Restroom					
			Room 20 Restroom					
			Room 21 Restroom					
			Room 30 Restroom					

MATERIAL SAMPLE CODE	MTL TYPE	MATERIAL DESCRIPTION	MATERIAL LOCATION	ANALYTICAL RESULTS	FRIABILITY	MATERIAL ASSESS. CLASS	MTL QUAN	UNITS
	M/S/T			%/ASSUMED	NF/F	G/D/SD		LF/SF/EA
			Room 31 Restroom					
			Room 40 Restroom					
			Room 41 Restroom					
			Room 50 Restroom					
			Room 51 Restroom					
			Boy's Restroom 3					
			Girl's Restroom 3					
			Room 60 Restroom					
			Room 61 Restroom					
			Corridor 5					
M·PSL·34	М	Pipe Sealant (Fire Riser), Blue, Pliable	Riser Room	Assumed	NF	G	2	SF
MADILLOG	N.4	Adhasiya (EDD) Proves Prittle	Custodial Office	Aggumad	NF	G	20	SF
M·ADH·36	М	Adhesive (FRP), Brown, Brittle	Custodial Office	Assumed	INF	G	20	SF.
M·QPT·37	М	Quarry/Paver Tile, 12"X12", Gray, Smooth, White Specks	Custodial Office	Assumed	NF	G	75	SF
M·GRT·38	М	Grout, Gray, Cementitious	Custodial Office	Assumed	NF	G	8	SF
M·CON·39	М	Concrete (Equipment Pad), Gray, Cementitious	Custodial Office	Assumed	NF	G	10	SF
M·GAS·48	М	Gasket, 10", Black, Vinyl-Like	Exterior	Assumed	NF	G	4	SF
M·GWT·53	М	Glazed Wall Tile, 4"X6", Gray, Smooth, Black And White Specks	Kitchen	Assumed	NF	G	40	SF
M·GRT·54	М	Grout, Gray, Cementitious	Kitchen	Assumed	NF	G	4	SF
M·QPT·55	М	Quarry/Paver Tile, 12"X12", Gray, Smooth, Black And White Specks	Kitchen	Assumed	NF	G	750	SF
M·GRT·56	М	Grout, Gray, Cementitious	Kitchen	Assumed	NF	G	75	SF

MATERIAL SAMPLE CODE	MTL TYPE	MATERIAL DESCRIPTION	MATERIAL LOCATION	ANALYTICAL RESULTS	FRIABILITY	MATERIAL ASSESS. CLASS	MTL QUAN	UNITS
	M/S/T			%/ASSUMED	NF/F	G/D/SD		LF/SF/EA
S·SAT·70	S	Spray-Applied Texture, White, Chalky	Corridor 1	Assumed	NF	G	8,500	SF
		Griding	Corridor 2					
			Corridor 3					
			Corridor 4					
			Corridor 5					
			Corridor 6					
			Corridor 7					
			Corridor 8					
			Corridor 9					
			Corridor 10					
M·GWB·71	M	Gypsum Wallboard, White, Chalky	Corridor 1	Assumed	NF	G	8,500	SF
011271	1.01	Sypouni Transcara, Trinc, Shamy	Corridor 2	7100011100	1.11			+
			Corridor 3					
			Corridor 4					+
			Corridor 5					-
			Corridor 6					+
			Corridor 7					+
			Corridor 8					+
			Corridor 9					+
			Corridor 10					
S·JTC·72	S	Joint Compound, White, Chalky	Corridor 1	Assumed	NF	G	850	SF
			Corridor 2					
			Corridor 3					
			Corridor 4					
			Corridor 5					
			Corridor 6				-	
			Corridor 7					
			Corridor 8				-	
			Corridor 9				- 	

MATERIAL SAMPLE CODE	MTL TYPE	MATERIAL DESCRIPTION	MATERIAL LOCATION	ANALYTICAL RESULTS	FRIABILITY	MATERIAL ASSESS. CLASS	MTL QUAN	UNITS
	M/S/T			%/ASSUMED	NF/F	G/D/SD		LF/SF/EA
			Corridor 10					
M·BUR·74	M	Built-Up Roofing, Black, Asphaltic, Gray Mineral Cap	Roof	Assumed	NF	G	82,000	SF
M·MAS·75	M	Mastic (Penetrations And Flashings), Black, Tar-Like	Roof	Assumed	NF	G	5,000	SF
M·SLT·76	M	Sealant (Windows, Flashing), White, Pliable	Roof	Assumed	NF	G	1,000	SF
M·SLT·77	М	Sealant (Skylights), Black, Brittle	Roof	Assumed	NF	G	10	SF
M·SLT·78	М	Sealant (Flashings), Black, Tar- Like	Roof	Assumed	NF	G	10	SF
M·SLT·79	M	Sealant (Parapet), Cream, Pliable	Roof	Assumed	NF	G	10	SF
M·BUR·94	M	Built-Up Roofing, Black, Asphaltic, White Coating	Roof	Assumed	NF	G	600	SF
M·FDI·100	M	Fire Door Insulation, Wood/Metal Cladding	Storage 10	Assumed	NF	G	168	SF
			Corridor 11					
			Music Room					
			Exterior					

6-MONTH SURVEILLANCE INSPECTION TABLE

IN-PLACE ASBESTOS-CONTAINING MATERIALS

MATERIAL DESCRIPTION	MATERIAL LOCATION	ANALYTICAL RESULTS	FRIABILITY	MATERIAL ASSESS. CLASS	MTL QUAN	UNITS
		%/ASSUMED	NF/F	G/D/SD		LF/SF/EA
Concrete Masonry Unit, 8"X16", Gray, Cementitious, Smooth	Exterior	Assumed	NF	G	350	SF
Concrete Masonry Unit (Pattern), 8"X16", Gray, Cementitious, Rough	Exterior	Assumed	NF	G	40	SF
Concrete Masonry Unit (Pattern), 4"X16", Gray, Cementitious, Rough	Exterior	Assumed	NF	G	10	SF
Mortar, Gray, Cementitious	Exterior	Assumed	NF	G	40	SF
Concrete (Foundation), Gray, Cementitious	Storage	Assumed	NF	G	100	SF
Sealant (Doors), White, Pliable	Storage	Assumed	NF	G	4	SF
Built-Up Roofing, Black, Asphaltic Tan Mineral Cap	Roof	Assumed	NF	G	100	SF
Mastic (Flashings), Black, Tar-Like	e Roof	Assumed	NF	G	10	SF
Sealant (Flashings), White, Pliable	Roof	Assumed	NF	G	10	SF
,	<u>, </u>					

Certifies that

Zachary Ridgettat

has attended and received instruction in the EPA approved course

AHERA Building Inspector Initial

March 6-8 2023

and successfully completed and passed the competency exam

Certificate: 4380-15665-030823

Date of Examination: 08-Mar-2023

Date of Expiration: 08-Mar-2024 THE ASBESTOS INSTITUTE

Director

20033 N. 19th Ave, Building 6, Phoenix, AZ 85027

602-864-6564 - www.theasbestosinstitute.com

Approved Institutor

This training meets of requirements for asbestos certification under Taxic Substance Control Act 1718, 11.