

May 23, 2023

Mr. Matthew Griffin  
Facilities Supervisor  
Kyrene School District No. 28  
8700 South Kyrene Road  
Tempe, AZ 85284-2197

**Subject: 6-Month Surveillance Inspection  
Asbestos-Containing Building Materials  
Kyrene Middle School  
1050 East Carver Road, Tempe**

Dear Mr. Griffin:

FM GROUP INC has completed the 6-Month Surveillance Inspection of Asbestos-Containing Building Materials (ACBM) at the subject school. The forms detailing the results of this reinspection and reassessment of known ACBM are attached.

The attached tables and forms have been updated to reflect the findings as of the date of this Reinspection and should serve as the Management Plan update.

**Items of significance are: None.**

If you have any questions regarding this correspondence, please contact us immediately.

Sincerely,

**FM GROUP INC**



Michael Hall  
Environmental Division Manager



Zach Ridgeway  
AHERA Building Inspector

*Attachments: 6-Month Surveillance Inspection Forms  
6-Month Surveillance Inspection Tables*




## 6-MONTH SURVEILLANCE INSPECTION ASBESTOS-CONTAINING BUILDING MATERIALS

School/Facility: Kyrene Middle School

Inspection Date: 04/07/23

Building: Building E

Inspector: Zach Ridgeway Cert. No.: 4380-15665-030823

Signature: 

Material Description	Material Code	Material Observed		Material Condition Status		Material Condition Description (If Change Noted)	Assessment Classification
				Same	Changed		
Built-Up Roofing, Black, Asphaltic, Gray Mineral Cap	M·BUR·01	Y	N	x			1 2 3 4 5 6 7*
Mastic (Penetrations And Flashings), Black, Brittle	M·MAS·02	Y	N	x			1 2 3 4 5 6 7*
Sealant (Doors, Walls, Flashings), Brown, Pliable	M·SLT·03	Y	N	x			1 2 3 4 5 6 7*
Sealant (Flashings), Gray, Pliable	M·SLT·04	Y	N	x			1 2 3 4 5 6 7*
Brick, 4"X16", Red, Cementitious	M·BRK·05	Y	N	x			1 2 3 4 5 6 7*
Concrete Masonry Unit, 4"X16", Gray, Cementitious, Tan	M·CMU·06	Y	N	x			1 2 3 4 5 6 7*
Concrete Masonry Unit, 4"X16", Gray, Cementitious, Smooth	M·CMU·07	Y	N	x			1 2 3 4 5 6 7*
Concrete Masonry Unit, 4"X16", Gray, Cementitious, Rough	M·CMU·08	Y	N	x			1 2 3 4 5 6 7*
Concrete Masonry Unit, 8"X8", Dark Gray, Cementitious, Smooth	M·CMU·09	Y	N	x			1 2 3 4 5 6 7*
Mortar, Gray, Cementitious	M·MRT·10	Y	N	x			1 2 3 4 5 6 7*
Sealant (Flashings), Black, Pliable	M·SLT·11	Y	N	x			1 2 3 4 5 6 7*
Concrete Masonry Unit, 8"X16", Gray, Cementitious	M·CMU·12	Y	N	x			1 2 3 4 5 6 7*
Stucco, Gray, Cementitious	S·STU·13	Y	N	x			1 2 3 4 5 6 7*
Mortar (Glass Block), White, Cementitious	M·MRT·14	Y	N	x			1 2 3 4 5 6 7*
Sealant (Doors, Windows, Millwork, Fixtures, Walls), White, Pliable	M·SLT·15	Y	N	x			1 2 3 4 5 6 7*
Concrete (Entries), Gray, Cementitious	M·CON·16	Y	N	x			1 2 3 4 5 6 7*
Fire Door Insulation, Metal/Wood Cladding	M·FDI·18	Y	N	x			1 2 3 4 5 6 7*
Concrete Masonry Unit, 8"X16", Gray, Cementitious	M·CMU·20	Y	N	x			1 2 3 4 5 6 7*
Pipe End Sealant, White, Pliable	M·PES·21	Y	N	x			1 2 3 4 5 6 7*
Sealant (Duct), Light Gray, Pliable	M·SLT·23	Y	N	x			1 2 3 4 5 6 7*
Woven Duct Boot, 2", Black, Rubber-Like	M·WDB·24	Y	N	x			1 2 3 4 5 6 7*
Gypsum Wallboard, White, Chalky	M·GWB·25	Y	N	x			1 2 3 4 5 6 7*
Joint Compound, White, Chalky	S·JTC·26	Y	N	x			1 2 3 4 5 6 7*
Sealant (Fire Stop), White, Pliable	M·SLT·27	Y	N	x			1 2 3 4 5 6 7*
Troweled-On Texture, White, Chalky	S·TOT·28	Y	N	x			1 2 3 4 5 6 7*
Gypsum Wallboard, White, Chalky	M·GWB·29	Y	N	x			1 2 3 4 5 6 7*
Joint Compound, White, Chalky	S·JTC·30	Y	N	x			1 2 3 4 5 6 7*



## 6-MONTH SURVEILLANCE INSPECTION ASBESTOS-CONTAINING BUILDING MATERIALS

Material Description	Material Code	Material Observed		Material Condition Status		Material Condition Description (If Change Noted)	Assessment Classification
				Same	Changed		
Spray-Applied Texture, White, Chalky	S-SAT-32	Y	N	x			1 2 3 4 5 6 7*
Gypsum Wallboard, White, Chalky	M-GWB-33	Y	N	x			1 2 3 4 5 6 7*
Joint Compound, White, Chalky	S-JTC-34	Y	N	x			1 2 3 4 5 6 7*
Spray-Applied Texture, White, Chalky	S-SAT-39	Y	N	x			1 2 3 4 5 6 7*
Gypsum Wallboard, White, Chalky	M-GWB-40	Y	N	x			1 2 3 4 5 6 7*
Joint Compound, White, Chalky	S-JTC-41	Y	N	x			1 2 3 4 5 6 7*
Glazed Wall Tile, 4", Light Green, Smooth	M-GWT-42	Y	N	x			1 2 3 4 5 6 7*
Glazed Wall Tile, 4", Green, Smooth	M-GWT-43	Y	N	x			1 2 3 4 5 6 7*
Grout, Gray, Cementitious	M-GRT-44	Y	N	x			1 2 3 4 5 6 7*
Glazed Wall Tile, 6"X8", White, Smooth	M-GWT-45	Y	N	x			1 2 3 4 5 6 7*
Grout, Gray, Cementitious	M-GRT-46	Y	N	x			1 2 3 4 5 6 7*
Ceramic Mosaic Tile, 4"X4", White, Smooth	M-CMT-47	Y	N	x			1 2 3 4 5 6 7*
Grout, Gray, Cementitious	M-GRT-48	Y	N	x			1 2 3 4 5 6 7*
Concrete, White, Cementitious, Blue Specks	M-CON-50	Y	N	x			1 2 3 4 5 6 7*
Glazed Wall Tile, 4"X4", Tan, Smooth	M-GWT-51	Y	N	x			1 2 3 4 5 6 7*
Adhesive (FRP), Brown, Brittle	M-ADH-52	Y	N	x			1 2 3 4 5 6 7*
Ceramic Mosaic Tile, 2"X2", Light Green, Smooth	M-CMT-55	Y	N	x			1 2 3 4 5 6 7*
Ceramic Mosaic Tile (Pattern), 2"X2", Green, Smooth	M-CMT-56	Y	N	x			1 2 3 4 5 6 7*
Ceramic Mosaic Tile (Pattern), 2"X2", Tan, Smooth	M-CMT-57	Y	N	x			1 2 3 4 5 6 7*
Wallbase (L-Shaped), 4", Black, Vinyl-Like	M-WAB-59	Y	N	x			1 2 3 4 5 6 7*
Adhesive, Cream, Pliable	M-ADH-60	Y	N	x			1 2 3 4 5 6 7*

### \*Assessment Classifications

1. Damaged or significantly damaged thermal system insulation ACBM.
2. Damaged friable surfacing ACBM.
3. Significantly damaged friable surfacing ACBM.
4. Damaged or significantly damaged friable miscellaneous ACBM.
5. ACBM with potential for damage.
6. ACBM with potential for significant damage.
7. Any remaining friable ACBM or friable suspected ACBM.




## 6-MONTH SURVEILLANCE INSPECTION ASBESTOS-CONTAINING BUILDING MATERIALS

School/Facility: Kyrene Middle School

Inspection Date: 04/07/2023

Building: Building F

Inspector: Zach Ridgeway Cert. No.: 4380-15665-030823 Signature: 

Material Description	Material Code	Material Observed		Material Condition Status		Material Condition Description (If Change Noted)	Assessment Classification
				Same	Changed		
Built-Up Roofing, Black, Asphaltic, Gray Mineral Cap	M·BUR·01	Y	N	x			1 2 3 4 5 6 7*
Mastic (Penetrations And Flashings), Black, Brittle	M·MAS·02	Y	N	x			1 2 3 4 5 6 7*
Sealant (Flashing), Gray, Pliable	M·SLT·03	Y	N	x			1 2 3 4 5 6 7*
Woven Duct Boot, 2", Black, Rubber-Like	M·WDB·04	Y	N	x			1 2 3 4 5 6 7*
Sealant (Duct), Gray, Pliable	M·SLT·05	Y	N	x			1 2 3 4 5 6 7*
Sealant (Duct), Pink, Pliable	M·SLT·06	Y	N	x			1 2 3 4 5 6 7*
Brick, 4"X16", Red, Cementitious	M·BRK·07	Y	N	x			1 2 3 4 5 6 7*
Concrete Masonry Unit, 4"X16", Gray, Cementitious, Tan	M·CMU·08	Y	N	x			1 2 3 4 5 6 7*
Concrete Masonry Unit, 4"X16", Gray, Cementitious, Rough	M·CMU·09	Y	N	x			1 2 3 4 5 6 7*
Concrete Masonry Unit, 4"X16", Dark Gray, Cementitious, Smooth	M·CMU·10	Y	N	x			1 2 3 4 5 6 7*
Concrete Masonry Unit, 8"X8", Dark Gray, Cementitious, Smooth	M·CMU·11	Y	N	x			1 2 3 4 5 6 7*
Mortar, Gray, Cementitious	M·MRT·12	Y	N	x			1 2 3 4 5 6 7*
Sealant (Doors, Millwork, Walls), White, Pliable	M·SLT·13	Y	N	x			1 2 3 4 5 6 7*
Sealant (Walls), Brown, Pliable	M·SLT·14	Y	N	x			1 2 3 4 5 6 7*
Sealant (Walls), Gray, Pliable	M·SLT·15	Y	N	x			1 2 3 4 5 6 7*
Mortar (Glass Block), White, Cementitious	M·MRT·16	Y	N	x			1 2 3 4 5 6 7*
Glazed Wall Tile, 4"X4", Light Green, Smooth	M·GWT·17	Y	N	x			1 2 3 4 5 6 7*
Grout, Brown, Cementitious	M·GRT·18	Y	N	x			1 2 3 4 5 6 7*
Troweled-On Texture, White, Chalky	S·TOT·19	Y	N	x			1 2 3 4 5 6 7*
Gypsum Wallboard, White, Chalky	M·GWB·20	Y	N	x			1 2 3 4 5 6 7*
Joint Compound, White, Chalky	S·JTC·21	Y	N	x			1 2 3 4 5 6 7*
Concrete (Entries), Gray, Cementitious	M·CON·22	Y	N	x			1 2 3 4 5 6 7*
Fire Door Insulation, Metal/Wood Cladding	M·FDI·32	Y	N	x			1 2 3 4 5 6 7*
Spray-Applied Texture, White, Chalky	S·SAT·33	Y	N	x			1 2 3 4 5 6 7*
Spray-Applied Texture, White, Chalky	S·SAT·34	Y	N	x			1 2 3 4 5 6 7*
Gypsum Wallboard, White, Chalky	M·GWB·35	Y	N	x			1 2 3 4 5 6 7*
Joint Compound, White, Chalky	S·JTC·36	Y	N	x			1 2 3 4 5 6 7*
Sink Acoustical Coating, Gray, Rough	M·SAC·38	Y	N	x			1 2 3 4 5 6 7*



## 6-MONTH SURVEILLANCE INSPECTION ASBESTOS-CONTAINING BUILDING MATERIALS

Material Description	Material Code	Material Observed		Material Condition Status		Material Condition Description (If Change Noted)	Assessment Classification
				Same	Changed		
Spray-Applied Texture, White, Chalky	S-SAT-40	Y	N	x			1 2 3 4 5 6 7*
Gypsum Wallboard, White, Chalky	M-GWB-41	Y	N	x			1 2 3 4 5 6 7*
Joint Compound, White, Chalky	S-JTC-42	Y	N	x			1 2 3 4 5 6 7*
Glazed Wall Tile, 4"X4", Tan, Smooth	M-GWT-43	Y	N	x			1 2 3 4 5 6 7*
Glazed Wall Tile (Pattern), 4"X4", Light Green, Smooth	M-GWT-44	Y	N	x			1 2 3 4 5 6 7*
Glazed Wall Tile (Pattern), 4"X4", Dark Green, Smooth	M-GWT-45	Y	N	x			1 2 3 4 5 6 7*
Grout, Gray, Cementitious	M-GRT-46	Y	N	x			1 2 3 4 5 6 7*
Ceramic Mosaic Tile, 2"X2", Tan, Smooth	M-CMT-47	Y	N	x			1 2 3 4 5 6 7*
Ceramic Mosaic Tile (Pattern), 2"X2", Light Green, Smooth	M-CMT-48	Y	N	x			1 2 3 4 5 6 7*
Ceramic Mosaic Tile (Pattern), 2"X2", Dark Green, Smooth	M-CMT-49	Y	N	x			1 2 3 4 5 6 7*
Grout, Gray, Cementitious	M-GRT-50	Y	N	x			1 2 3 4 5 6 7*
Sealant (Doors, Windows), Black, Tar-Like	M-SLT-52	Y	N	x			1 2 3 4 5 6 7*
Sealant (Fire Stop), Green, Pliable	M-SLT-54	Y	N	x			1 2 3 4 5 6 7*
Adhesive (FRP), Brown, Brittle	M-ADH-55	Y	N	x			1 2 3 4 5 6 7*
Pipe End Sealant, White, Pliable	M-PES-60	Y	N	x			1 2 3 4 5 6 7*
Concrete Masonry Unit, 8"X16", Gray, Cementitious	M-CMU-61	Y	N	x			1 2 3 4 5 6 7*
Gasket, 4", Black, Rubber-Like	M-GAS-62	Y	N	x			1 2 3 4 5 6 7*

### \*Assessment Classifications

1. Damaged or significantly damaged thermal system insulation ACBM.
2. Damaged friable surfacing ACBM.
3. Significantly damaged friable surfacing ACBM.
4. Damaged or significantly damaged friable miscellaneous ACBM.
5. ACBM with potential for damage.
6. ACBM with potential for significant damage.
7. Any remaining friable ACBM or friable suspected ACBM.




## 6-MONTH SURVEILLANCE INSPECTION ASBESTOS-CONTAINING BUILDING MATERIALS

School/Facility: Kyrene Middle School

Inspection Date: 04/07/2023

Building: Building G

Inspector: Zach Ridgeway Cert. No.: 4380-15665-030823 Signature: 

Material Description	Material Code	Material Observed		Material Condition Status		Material Condition Description (If Change Noted)	Assessment Classification
				Same	Changed		
Built-Up Roofing, Black, Asphaltic, Gray Mineral Cap	M·BUR·01	Y	N	x			1 2 3 4 5 6 7*
Mastic (Penetrations And Flashings), Black, Brittle	M·MAS·02	Y	N	x			1 2 3 4 5 6 7*
Sealant (Flashing), Gray, Pliable	M·SLT·03	Y	N	x			1 2 3 4 5 6 7*
Woven Duct Boot, 2", Black, Rubber-Like	M·WDB·04	Y	N	x			1 2 3 4 5 6 7*
Sealant (Duct), Gray, Pliable	M·SLT·05	Y	N	x			1 2 3 4 5 6 7*
Sealant (Duct), Pink, Pliable	M·SLT·06	Y	N	x			1 2 3 4 5 6 7*
Brick, 4"X16", Red, Cementitious	M·BRK·07	Y	N	x			1 2 3 4 5 6 7*
Concrete Masonry Unit, 4"X16", Gray, Cementitious, Tan	M·CMU·08	Y	N	x			1 2 3 4 5 6 7*
Concrete Masonry Unit, 4"X16", Gray, Cementitious, Rough	M·CMU·09	Y	N	x			1 2 3 4 5 6 7*
Concrete Masonry Unit, 4"X16", Dark Gray, Cementitious, Smooth	M·CMU·10	Y	N	x			1 2 3 4 5 6 7*
Concrete Masonry Unit, 8"X8", Dark Gray, Cementitious, Smooth	M·CMU·11	Y	N	x			1 2 3 4 5 6 7*
Mortar, Gray, Cementitious	M·MRT·12	Y	N	x			1 2 3 4 5 6 7*
Sealant (Doors, Millwork, Walls), White, Pliable	M·SLT·13	Y	N	x			1 2 3 4 5 6 7*
Sealant (Doors, Walls, Flashing), Brown, Pliable	M·SLT·14	Y	N	x			1 2 3 4 5 6 7*
Sealant (Walls), Gray, Pliable	M·SLT·15	Y	N	x			1 2 3 4 5 6 7*
Mortar (Glass Block), White, Cementitious	M·MRT·16	Y	N	x			1 2 3 4 5 6 7*
Glazed Wall Tile, 4"X4", Light Green, Smooth	M·GWT·17	Y	N	x			1 2 3 4 5 6 7*
Grout, Brown, Cementitious	M·GRT·18	Y	N	x			1 2 3 4 5 6 7*
Troweled-On Texture, White, Chalky	S·TOT·19	Y	N	x			1 2 3 4 5 6 7*
Gypsum Wallboard, White, Chalky	M·GWB·20	Y	N	x			1 2 3 4 5 6 7*
Joint Compound, White, Chalky	S·JTC·21	Y	N	x			1 2 3 4 5 6 7*
Concrete (Entries), Gray, Cementitious	M·CON·22	Y	N	x			1 2 3 4 5 6 7*
Fire Door Insulation, Metal/Wood Cladding	M·FDI·32	Y	N	x			1 2 3 4 5 6 7*
Spray-Applied Texture, White, Chalky	S·SAT·34	Y	N	x			1 2 3 4 5 6 7*
Sink Acoustical Coating, White, Rough	M·SAC·38	Y	N	x			1 2 3 4 5 6 7*
Spray-Applied Texture, White, Chalky	S·SAT·40	Y	N	x			1 2 3 4 5 6 7*
Gypsum Wallboard, White, Chalky	M·GWB·41	Y	N	x			1 2 3 4 5 6 7*
Joint Compound, White, Chalky	S·JTC·42	Y	N	x			1 2 3 4 5 6 7*



## 6-MONTH SURVEILLANCE INSPECTION ASBESTOS-CONTAINING BUILDING MATERIALS

Material Description	Material Code	Material Observed		Material Condition Status		Material Condition Description (If Change Noted)	Assessment Classification
				Same	Changed		
Glazed Wall Tile, 4"X4", Tan, Smooth	M·GWT·43	Y	N	x			1 2 3 4 5 6 7*
Glazed Wall Tile (Pattern), 4"X4", Light Green, Smooth	M·GWT·44	Y	N	x			1 2 3 4 5 6 7*
Glazed Wall Tile (Pattern), 4"X4", Green, Smooth	M·GWT·45	Y	N	x			1 2 3 4 5 6 7*
Grout, Gray, Cementitious	M·GRT·46	Y	N	x			1 2 3 4 5 6 7*
Ceramic Mosaic Tile, 2"X2", Tan, Smooth	M·CMT·47	Y	N	x			1 2 3 4 5 6 7*
Ceramic Mosaic Tile (Pattern), 2"X2", Light Green, Smooth	M·CMT·48	Y	N	x			1 2 3 4 5 6 7*
Ceramic Mosaic Tile (Pattern), 2"X2", Dark Green, Smooth	M·CMT·49	Y	N	x			1 2 3 4 5 6 7*
Grout, Gray, Cementitious	M·GRT·50	Y	N	x			1 2 3 4 5 6 7*
Tackable Wall Panel, Brown, Fibrous, Vinyl Cover	M·TWP·51	Y	N	x			1 2 3 4 5 6 7*
Sealant (Doors, Windows), Black, Tar-Like	M·SLT·52	Y	N	x			1 2 3 4 5 6 7*
Sealant (Fire Stop), Green, Pliable	M·SLT·54	Y	N	x			1 2 3 4 5 6 7*
Adhesive (FRP), Brown, Brittle	M·ADH·55	Y	N	x			1 2 3 4 5 6 7*
Pipe End Sealant, White, Pliable	M·PES·60	Y	N	x			1 2 3 4 5 6 7*

### \*Assessment Classifications

1. Damaged or significantly damaged thermal system insulation ACBM.
2. Damaged friable surfacing ACBM.
3. Significantly damaged friable surfacing ACBM.
4. Damaged or significantly damaged friable miscellaneous ACBM.
5. ACBM with potential for damage.
6. ACBM with potential for significant damage.
7. Any remaining friable ACBM or friable suspected ACBM.




## 6-MONTH SURVEILLANCE INSPECTION ASBESTOS-CONTAINING BUILDING MATERIALS

School/Facility: Kyrene Middle School

Inspection Date: 04/07/2023

Building: Building H

Inspector: Zach Ridgeway Cert. No.: 4380-15665-030823 Signature: 

Material Description	Material Code	Material Observed		Material Condition Status		Material Condition Description (If Change Noted)	Assessment Classification
				Same	Changed		
Built-Up Roofing, Black, Asphaltic, Gray Mineral Cap	M·BUR·01	Y	N	x			1 2 3 4 5 6 7*
Mastic (Penetrations And Flashings), Black, Brittle	M·MAS·02	Y	N	x			1 2 3 4 5 6 7*
Sealant (Flashing), Gray, Pliable	M·SLT·03	Y	N	x			1 2 3 4 5 6 7*
Woven Duct Boot, 2", Black, Rubber-Like	M·WDB·04	Y	N	x			1 2 3 4 5 6 7*
Sealant (Duct), Gray, Pliable	M·SLT·05	Y	N	x			1 2 3 4 5 6 7*
Sealant (Duct), Pink, Pliable	M·SLT·06	Y	N	x			1 2 3 4 5 6 7*
Concrete Masonry Unit, 4"X16", Red, Cementitious	M·CMU·07	Y	N	x			1 2 3 4 5 6 7*
Concrete Masonry Unit, 4"X16", Gray, Cementitious, Tan	M·CMU·08	Y	N	x			1 2 3 4 5 6 7*
Concrete Masonry Unit, 4"X16", Gray, Cementitious, Rough	M·CMU·09	Y	N	x			1 2 3 4 5 6 7*
Concrete Masonry Unit, 4"X16", Dark Gray, Cementitious, Smooth	M·CMU·10	Y	N	x			1 2 3 4 5 6 7*
Concrete Masonry Unit, 8"X8", Dark Gray, Cementitious, Smooth	M·CMU·11	Y	N	x			1 2 3 4 5 6 7*
Mortar, Gray, Cementitious	M·MRT·12	Y	N	x			1 2 3 4 5 6 7*
Sealant (Doors, Windows, Millwork, Walls), White, Pliable	M·SLT·13	Y	N	x			1 2 3 4 5 6 7*
Sealant (Walls), Brown, Pliable	M·SLT·14	Y	N	x			1 2 3 4 5 6 7*
Sealant (Walls), Gray, Pliable	M·SLT·15	Y	N	x			1 2 3 4 5 6 7*
Mortar (Glass Block), White, Cementitious	M·MRT·16	Y	N	x			1 2 3 4 5 6 7*
Glazed Wall Tile, 4"X4", Light Green, Smooth	M·GWT·17	Y	N	x			1 2 3 4 5 6 7*
Grout, Brown, Cementitious	M·GRT·18	Y	N	x			1 2 3 4 5 6 7*
Troweled-On Texture, White, Chalky	S·TOT·19	Y	N	x			1 2 3 4 5 6 7*
Gypsum Wallboard, White, Chalky	M·GWB·20	Y	N	x			1 2 3 4 5 6 7*
Joint Compound, White, Chalky	S·JTC·21	Y	N	x			1 2 3 4 5 6 7*
Concrete (Entries), Gray, Cementitious	M·CON·22	Y	N	x			1 2 3 4 5 6 7*
Fire Door Insulation, Metal/Wood Cladding	M·FDI·32	Y	N	x			1 2 3 4 5 6 7*
Spray-Applied Texture, White, Chalky	S·SAT·33	Y	N	x			1 2 3 4 5 6 7*
Spray-Applied Texture, White, Chalky	S·SAT·34	Y	N	x			1 2 3 4 5 6 7*
Gypsum Wallboard, White, Chalky	M·GWB·35	Y	N	x			1 2 3 4 5 6 7*
Joint Compound, White, Chalky	S·JTC·36	Y	N	x			1 2 3 4 5 6 7*
Sink Acoustical Coating, White, Rough	M·SAC·38	Y	N	x			1 2 3 4 5 6 7*





## 6-MONTH SURVEILLANCE INSPECTION ASBESTOS-CONTAINING BUILDING MATERIALS

Material Description	Material Code	Material Observed		Material Condition Status		Material Condition Description (If Change Noted)	Assessment Classification
				Same	Changed		
Spray-Applied Texture, White, Chalky	S-SAT-40	Y	N	x			1 2 3 4 5 6 7*
Gypsum Wallboard, White, Chalky	M-GWB-41	Y	N	x			1 2 3 4 5 6 7*
Joint Compound, White, Chalky	S-JTC-42	Y	N	x			1 2 3 4 5 6 7*
Glazed Wall Tile, 4"X4", Tan, Smooth	M-GWT-43	Y	N	x			1 2 3 4 5 6 7*
Glazed Wall Tile (Pattern), 4"X4", Light Green, Smooth	M-GWT-44	Y	N	x			1 2 3 4 5 6 7*
Glazed Wall Tile (Pattern), 4"X4", Dark Green, Smooth	M-GWT-45	Y	N	x			1 2 3 4 5 6 7*
Grout, Gray, Cementitious	M-GRT-46	Y	N	x			1 2 3 4 5 6 7*
Ceramic Mosaic Tile, 2"X2", Tan, Smooth	M-CMT-47	Y	N	x			1 2 3 4 5 6 7*
Ceramic Mosaic Tile, 2"X2", Light Green, Smooth	M-CMT-48	Y	N	x			1 2 3 4 5 6 7*
Ceramic Mosaic Tile, 2"X2", Green, Smooth	M-CMT-49	Y	N	x			1 2 3 4 5 6 7*
Grout, Gray, Cementitious	M-GRT-50	Y	N	x			1 2 3 4 5 6 7*
Tackable Wall Panel, Brown, Fibrous, Vinyl Cover	M-TWP-51	Y	N	x			1 2 3 4 5 6 7*
Sealant (Doors, Windows), Black, Tar-Like	M-SLT-52	Y	N	x			1 2 3 4 5 6 7*
Sealant (Fire Stop), Green, Pliable	M-SLT-54	Y	N	x			1 2 3 4 5 6 7*
Adhesive (FRP), Brown, Brittle	M-ADH-55	Y	N	x			1 2 3 4 5 6 7*
Pipe End Sealant, White, Pliable	M-PES-60	Y	N	x			1 2 3 4 5 6 7*

### \*Assessment Classifications

1. Damaged or significantly damaged thermal system insulation ACBM.
2. Damaged friable surfacing ACBM.
3. Significantly damaged friable surfacing ACBM.
4. Damaged or significantly damaged friable miscellaneous ACBM.
5. ACBM with potential for damage.
6. ACBM with potential for significant damage.
7. Any remaining friable ACBM or friable suspected ACBM.




## 6-MONTH SURVEILLANCE INSPECTION ASBESTOS-CONTAINING BUILDING MATERIALS

School/Facility: Kyrene Middle School

Inspection Date: 04/07/2023

Building: Building J

Inspector: Zach Ridgeway Cert. No.: 4380-15665-030823 Signature: 

Material Description	Material Code	Material Observed		Material Condition Status		Material Condition Description (If Change Noted)	Assessment Classification
				Same	Changed		
Troweled-On Texture, White, Chalky	S-TOT-01	Y	N	x			1 2 3 4 5 6 7*
Gypsum Wallboard, White, Chalky	M-GWB-02	Y	N	x			1 2 3 4 5 6 7*
Joint Compound, White, Chalky	S-JTC-03	Y	N	x			1 2 3 4 5 6 7*
Stucco, Gray, Cementitious	S-STU-04	Y	N	x			1 2 3 4 5 6 7*
Concrete Masonry Unit, 4"x16", Gray, Cementitious	M-CMU-05	Y	N	x			1 2 3 4 5 6 7*
Brick, 4"x16", Red, Cementitious	M-BRK-06	Y	N	x			1 2 3 4 5 6 7*
Concrete Masonry Unit, 8"x8", Gray, Cementitious	M-CMU-07	Y	N	x			1 2 3 4 5 6 7*
Mortar, Gray, Cementitious	M-MRT-08	Y	N	x			1 2 3 4 5 6 7*
Sealant (Doors, Windows, Walls), Gray, Pliable	M-SLT-09	Y	N	x			1 2 3 4 5 6 7*
Sealant (Doors), Tan, Pliable	M-SLT-10	Y	N	x			1 2 3 4 5 6 7*
Concrete (Entries), Gray, Cementitious	M-CON-11	Y	N	x			1 2 3 4 5 6 7*
Concrete Masonry Unit, 8"x16", Gray, Cementitious	M-CMU-13	Y	N	x			1 2 3 4 5 6 7*
Mortar, Gray, Cementitious	M-MRT-14	Y	N	x			1 2 3 4 5 6 7*
Concrete Masonry Unit, 4"x16", Gray, Cementitious	M-CMU-15	Y	N	x			1 2 3 4 5 6 7*
Mortar, Gray, Cementitious	M-MRT-16	Y	N	x			1 2 3 4 5 6 7*
Fire Door Insulation, Wood/Metal Cladding	M-FDI-17	Y	N	x			1 2 3 4 5 6 7*
Concrete Masonry Unit, 4"x16", Dark Gray, Cementitious	M-CMU-18	Y	N	x			1 2 3 4 5 6 7*
Vinyl Composition Tile, 12"x12", Tan, Smooth, Multi-Colored	M-VCT-24	Y	N	x			1 2 3 4 5 6 7*
Sealant (Doors, Windows, Millwork, Fixtures), White, Pliable	M-SLT-29	Y	N	x			1 2 3 4 5 6 7*
Sink Acoustical Coating, Gray, Rough	M-SAC-30	Y	N	x			1 2 3 4 5 6 7*
Gypsum Wallboard, White, Chalky	M-GWB-31	Y	N	x			1 2 3 4 5 6 7*
Joint Compound, White, Chalky	S-JTC-32	Y	N	x			1 2 3 4 5 6 7*
Adhesive (Residual), Brown, Brittle	M-ADH-33	Y	N	x			1 2 3 4 5 6 7*
Spray-Applied Texture, White, Chalky	S-SAT-35	Y	N	x			1 2 3 4 5 6 7*
Gypsum Wallboard, White, Chalky	M-GWB-36	Y	N	x			1 2 3 4 5 6 7*
Joint Compound, White, Chalky	S-JTC-37	Y	N	x			1 2 3 4 5 6 7*
Glazed Wall Tile, 4"x4", Tan, Smooth	M-GWT-38	Y	N	x			1 2 3 4 5 6 7*
Glazed Wall Tile (Pattern), 4"x4", Light Green, Smooth	M-GWT-39	Y	N	x			1 2 3 4 5 6 7*



## 6-MONTH SURVEILLANCE INSPECTION ASBESTOS-CONTAINING BUILDING MATERIALS

Material Description	Material Code	Material Observed		Material Condition Status		Material Condition Description (If Change Noted)	Assessment Classification
				Same	Changed		
Glazed Wall Tile (Pattern), 4"X4", Green, Smooth	M-GWT-40	Y	N	x			1 2 3 4 5 6 7*
Grout, Gray, Cementitious	M-GRT-41	Y	N	x			1 2 3 4 5 6 7*
Ceramic Mosaic Tile, 2"X2", Tan, Smooth	M-CMT-42	Y	N	x			1 2 3 4 5 6 7*
Ceramic Mosaic Tile, 2"X2", Light Green, Smooth	M-CMT-43	Y	N	x			1 2 3 4 5 6 7*
Ceramic Mosaic Tile, 2"X2", Green, Smooth	M-CMT-44	Y	N	x			1 2 3 4 5 6 7*
Grout, Gray, Cementitious	M-GRT-45	Y	N	x			1 2 3 4 5 6 7*
Pipe Sealant, White, Pliable	M-PSL-46	Y	N	x			1 2 3 4 5 6 7*
Gasket, 4", Black, Rubber-Like	M-GAS-47	Y	N	x			1 2 3 4 5 6 7*
Adhesive (FRP), Brown, Brittle	M-ADH-48	Y	N	x			1 2 3 4 5 6 7*
Spray-Applied Texture, White, Chalky	S-SAT-49	Y	N	x			1 2 3 4 5 6 7*
Gypsum Wallboard, White, Chalky	M-GWB-50	Y	N	x			1 2 3 4 5 6 7*
Joint Compound, White, Chalky	S-JTC-51	Y	N	x			1 2 3 4 5 6 7*
Concrete (Foundation), Gray, Cementitious	M-CON-52	Y	N	x			1 2 3 4 5 6 7*
Woven Duct Boot, 2", Black, Rubber-Like	M-WDB-53	Y	N	x			1 2 3 4 5 6 7*
Plaster, Gray, Cementitious	S-PLA-54	Y	N	x			1 2 3 4 5 6 7*

### \*Assessment Classifications

1. Damaged or significantly damaged thermal system insulation ACBM.
2. Damaged friable surfacing ACBM.
3. Significantly damaged friable surfacing ACBM.
4. Damaged or significantly damaged friable miscellaneous ACBM.
5. ACBM with potential for damage.
6. ACBM with potential for significant damage.
7. Any remaining friable ACBM or friable suspected ACBM.




## 6-MONTH SURVEILLANCE INSPECTION ASBESTOS-CONTAINING BUILDING MATERIALS

School/Facility: Kyrene Middle School

Inspection Date: 04/07/2023

Building: Building K

Inspector: Zach Ridgeway Cert. No.: 4380-15665-030823 Signature: 

Material Description	Material Code	Material Observed		Material Condition Status		Material Condition Description (If Change Noted)	Assessment Classification
				Same	Changed		
Built-Up Roofing, Black, Asphaltic, Gray Mineral Cap	M·BUR·01	Y	N	x			1 2 3 4 5 6 7*
Mastic (Penetrations And Flashings), Black, Brittle	M·MAS·02	Y	N	x			1 2 3 4 5 6 7*
Sealant (Flashing), Gray, Pliable	M·SLT·03	Y	N	x			1 2 3 4 5 6 7*
Stucco, Gray, Cementitious	S·STU·04	Y	N	x			1 2 3 4 5 6 7*
Concrete Masonry Unit, 4"X16", Gray, Cementitious, Tan	M·CMU·05	Y	N	x			1 2 3 4 5 6 7*
Mortar, Gray, Cementitious	M·MRT·06	Y	N	x			1 2 3 4 5 6 7*
Sealant (Wall, Flashing), Tan, Pliable	M·SLT·07	Y	N	x			1 2 3 4 5 6 7*
Concrete (Entries), Gray, Cementitious	M·CON·10	Y	N	x			1 2 3 4 5 6 7*
Sealant (Windows), Black, Tar-Like	M·SLT·12	Y	N	x			1 2 3 4 5 6 7*
Fire Door Insulation, Metal/Wood Cladding	M·FDI·13	Y	N	x			1 2 3 4 5 6 7*
Spray-Applied Texture, White, Chalky	S·SAT·15	Y	N	x			1 2 3 4 5 6 7*
Gypsum Wallboard, White, Chalky	M·GWB·16	Y	N	x			1 2 3 4 5 6 7*
Joint Compound, White, Chalky	S·JTC·17	Y	N	x			1 2 3 4 5 6 7*
Sink Acoustical Coating, Gray, Rough	M·SAC·29	Y	N	x			1 2 3 4 5 6 7*
Glazed Wall Tile, 4"X4", Tan, Smooth	M·GWT·30	Y	N	x			1 2 3 4 5 6 7*
Grout, Gray, Cementitious	M·GRT·31	Y	N	x			1 2 3 4 5 6 7*
Ceramic Mosaic Tile, 2"X2", Tan, Smooth	M·CMT·32	Y	N	x			1 2 3 4 5 6 7*
Grout, Gray, Cementitious, 2"X2", Green, Smooth	M·GRT·33	Y	N	x			1 2 3 4 5 6 7*
Spray-Applied Texture, White, Chalky	S·SAT·34	Y	N	x			1 2 3 4 5 6 7*
Gypsum Wallboard, White, Chalky	M·GWB·35	Y	N	x			1 2 3 4 5 6 7*
Joint Compound, White, Chalky	S·JTC·36	Y	N	x			1 2 3 4 5 6 7*
Troweled-On Texture, White, Chalky	S·TOT·37	Y	N	x			1 2 3 4 5 6 7*
Gypsum Wallboard, White, Chalky	M·GWB·38	Y	N	x			1 2 3 4 5 6 7*
Joint Compound, White, Chalky	S·JTC·39	Y	N	x			1 2 3 4 5 6 7*
Glazed Wall Tile (Pattern), 4"X4", Light Green, Smooth	M·GWT·41	Y	N	x			1 2 3 4 5 6 7*
Glazed Wall Tile (Pattern), 4"X4", Green, Smooth	M·GWT·42	Y	N	x			1 2 3 4 5 6 7*
Ceramic Mosaic Tile, 2"X2", Light Green, Smooth	M·CMT·43	Y	N	x			1 2 3 4 5 6 7*



## 6-MONTH SURVEILLANCE INSPECTION ASBESTOS-CONTAINING BUILDING MATERIALS

Material Description	Material Code	Material Observed		Material Condition Status		Material Condition Description (If Change Noted)	Assessment Classification
				Same	Changed		
Ceramic Mosaic Tile, 2"X2", Green, Smooth	M-CMT-44	Y	N	x			1 2 3 4 5 6 7*
Adhesive (FRP), Brown, Brittle	M-ADH-45	Y	N	x			1 2 3 4 5 6 7*
Pipe End Sealant, White, Pliable	M-PES-46	Y	N	x			1 2 3 4 5 6 7*

**\*Assessment Classifications**

1. Damaged or significantly damaged thermal system insulation ACBM.
2. Damaged friable surfacing ACBM.
3. Significantly damaged friable surfacing ACBM.
4. Damaged or significantly damaged friable miscellaneous ACBM.
5. ACBM with potential for damage.
6. ACBM with potential for significant damage.
7. Any remaining friable ACBM or friable suspected ACBM.



**6-MONTH SURVEILLANCE INSPECTION  
ASBESTOS-CONTAINING BUILDING MATERIALS**

School/Facility: Kyrene Middle School

Inspection Date: 04/07/2023

Building: Building L

Inspector: Zach Ridgeway Cert. No.: 4380-15665-030823 Signature:

Material Description	Material Code	Material Observed		Material Condition Status		Material Condition Description (If Change Noted)	Assessment Classification
				Same	Changed		
Built-Up Roofing, Black, Asphaltic, Gray Mineral Cap	M·BUR·01	Y	N	x			1 2 3 4 5 6 7*
Fire Door Insulation, Metal/Wood Cladding	M·FDI·17	Y	N	x			1 2 3 4 5 6 7*
Adhesive (Residual), Brown, Brittle	M·ADH·40	Y	N	x			1 2 3 4 5 6 7*
Mastic (VCT), Black, Brittle	M·MAS·58	Y	N	x			1 2 3 4 5 6 7*
Adhesive (Mirror), Brown, Brittle	M·ADH·77	Y	N	x			1 2 3 4 5 6 7*
Adhesive (FRP), Brown, Brittle	M·ADH·80	Y	N	x			1 2 3 4 5 6 7*

**\*Assessment Classifications**

1. Damaged or significantly damaged thermal system insulation ACBM.
2. Damaged friable surfacing ACBM.
3. Significantly damaged friable surfacing ACBM.
4. Damaged or significantly damaged friable miscellaneous ACBM.
5. ACBM with potential for damage.
6. ACBM with potential for significant damage.
7. Any remaining friable ACBM or friable suspected ACBM.

**6-MONTH SURVEILLANCE INSPECTION TABLE**  
**IN-PLACE ASBESTOS-CONTAINING MATERIALS**

MATERIAL SAMPLE CODE	MTL TYPE	MATERIAL DESCRIPTION	MATERIAL LOCATION	ANALYTICAL RESULTS	FRIABILITY	MATERIAL ASSESS. CLASS	MTL QUAN	UNITS
	M/S/T			%/ASSUMED	NF/F	G/D/SD		LF/SF/EA
M-BUR-01	M	Built-Up Roofing, Black, Asphaltic, Gray Mineral Cap	Roof	Assumed	NF	G	22,000	SF
M-MAS-02	M	Mastic (Penetrations And Flashings), Black, Brittle	Roof	Assumed	NF	G	100	SF
M-SLT-03	M	Sealant (Doors, Walls, Flashings), Brown, Pliable	Lobby	Assumed	NF	G	50	SF
			Gymnasium					
			Gym Storage					
			Mechanical Room					
			Electrical Room					
			Exterior					
			Roof					
M-SLT-04	M	Sealant (Flashings), Gray, Pliable	Roof	Assumed	NF	G	25	SF
M-BRK-05	M	Brick, 4"X16", Red, Cementitious	Lobby	Assumed	NF	G	8,000	SF
			Gymnasium					
			Gym Storage					
			Mechanical Room					
			Electrical Room					
			Exterior					
			Roof					
M-CMU-06	M	Concrete Masonry Unit, 4"X16", Gray, Cementitious, Tan	Roof	Assumed	NF	G	1,500	SF
M-CMU-07	M	Concrete Masonry Unit, 4"X16", Gray, Cementitious, Smooth	Roof	Assumed	NF	G	1,500	SF

MATERIAL SAMPLE CODE	MTL TYPE	MATERIAL DESCRIPTION	MATERIAL LOCATION	ANALYTICAL RESULTS	FRIABILITY	MATERIAL ASSESS. CLASS	MTL QUAN	UNITS
	M/S/T			%/ASSUMED	NF/F	G/D/SD		LF/SF/EA
M-CMU-08	M	Concrete Masonry Unit, 4"X16", Gray, Cementitious, Rough	Roof	Assumed	NF	G	1,500	SF
M-CMU-09	M	Concrete Masonry Unit, 8"X8", Dark Gray, Cementitious, Smooth	Exterior	Assumed	NF	G	5,000	SF
			Roof					
M-MRT-10	M	Mortar, Gray, Cementitious	Lobby	Assumed	NF	G	1,850	SF
			Gymnasium					
			Gym Storage					
			Mechanical Room					
			Electrical Room					
			Exterior					
			Roof					
M-SLT-11	M	Sealant (Flashings), Black, Pliable	Roof	Assumed	NF	G	10	SF
M-CMU-12	M	Concrete Masonry Unit, 8"X16", Gray, Cementitious	Roof	Assumed	NF	G	50	SF
S-STU-13	S	Stucco, Gray, Cementitious	Exterior	Assumed	NF	G	1,500	SF
			Roof					
M-MRT-14	M	Mortar (Glass Block), White, Cementitious	Gymnasium	Assumed	NF	G	10	SF
			Exterior					
M-SLT-15	M	Sealant (Doors, Windows, Millwork, Fixtures, Walls), White, Pliable	Gymnasium	Assumed	NF	G	32	SF
			Vestibule 4					
			Men's Locker Room					
			Vestibule 3					
			P.E. Office 1					
			P.E. Restroom 1					
			Vestibule 1					



MATERIAL SAMPLE CODE	MTL TYPE	MATERIAL DESCRIPTION	MATERIAL LOCATION	ANALYTICAL RESULTS	FRIABILITY	MATERIAL ASSESS. CLASS	MTL QUAN	UNITS
	M/S/T			%/ASSUMED	NF/F	G/D/SD		LF/SF/EA
			Vestibule 2					
			Team Locker 1					
			P.E. Storage					
			Vestibule 5					
			Women's Showers					
			Women's Locker Room					
			P.E. Office 2					
			P.E. Restroom 2					
			Vestibule 7					
			Vestibule 8					
			Team Locker 2					
			P.E. Storage 2					
			Mechanical Room					
			Electrical Room					
M-CON-16	M	Concrete (Entries), Gray, Cementitious	Exterior	Assumed	NF	G	5,000	SF
M-CON-17	M	Concrete (Foundation), Gray, Cementitious	Lobby	Assumed	NF	G	24,000	SF
			Gymnasium					
			Vestibule 4					
			Men's Showers					
			Men's Locker Room					
			Mop Closet 1					
			Vestibule 3					
			P.E. Office 1					
			P.E. Restroom 1					
			Vestibule 1					
			Vestibule 2					
			Team Locker 1					
			P.E. Storage					
			Vestibule 5					
			Women's Showers					

MATERIAL SAMPLE CODE	MTL TYPE	MATERIAL DESCRIPTION	MATERIAL LOCATION	ANALYTICAL RESULTS	FRIABILITY	MATERIAL ASSESS. CLASS	MTL QUAN	UNITS
	M/S/T			%/ASSUMED	NF/F	G/D/SD		LF/SF/EA
			Women's Locker Room					
			Mop Closet 2					
			Vestibule 6					
			P.E. Office 2					
			P.E. Restroom 2					
			Vestibule 7					
			Vestibule 8					
			Team Locker 2					
			P.E. Storage 2					
			Gym Storage					
			Mechanical Room					
			Electrical Room					
			Exterior					
M-FDI-18	M	Fire Door Insulation, Metal/Wood Cladding	Lobby	Assumed	NF	G	1,029	SF
			Gymnasium					
			Vestibule 4					
			Men's Locker Room					
			Vestibule 3					
			Vestibule 1					
			Vestibule 2					
			Team Locker 1					
			P.E. Storage					
			Vestibule 5					
			Women's Locker Room					
			Vestibule 6					
			Vestibule 7					
			Vestibule 8					
			P.E. Storage 2					
			Gym Storage					
			Mechanical Room					
			Electrical Room					

MATERIAL SAMPLE CODE	MTL TYPE	MATERIAL DESCRIPTION	MATERIAL LOCATION	ANALYTICAL RESULTS	FRIABILITY	MATERIAL ASSESS. CLASS	MTL QUAN	UNITS
	M/S/T			%/ASSUMED	NF/F	G/D/SD		LF/SF/EA
M-CMU-20	M	Concrete Masonry Unit, 8"X16", Gray, Cementitious	Gym Storage	Assumed	NF	G	1,000	SF
			Mechanical Room					
			Electrical Room					
M-PES-21	M	Pipe End Sealant, White, Pliable	Mechanical Room	Assumed	NF	G	2	SF
M-SLT-23	M	Sealant (Duct), Light Gray, Pliable	Mechanical Room	Assumed	NF	G	5	SF
M-WDB-24	M	Woven Duct Boot, 2", Black, Rubber-Like	Mechanical Room	Assumed	NF	G	10	SF
M-GWB-25	M	Gypsum Wallboard, White, Chalky	Mechanical Room	Assumed	NF	G	300	SF
S-JTC-26	S	Joint Compound, White, Chalky	Mechanical Room	Assumed	NF	G	30	SF
M-SLT-27	M	Sealant (Fire Stop), White, Pliable	Mechanical Room	Assumed	NF	G	10	SF
S-TOT-28	S	Troweled-On Texture, White, Chalky	Mop Closet 1	Assumed	NF	G	2,000	SF
			Mop Closet 2					
			P.E. Storage 2					
			Electrical Room					
M-GWB-29	M	Gypsum Wallboard, White, Chalky	Mop Closet 1	Assumed	NF	G	2,000	SF
			Mop Closet 2					
			P.E. Storage 2					
			Electrical Room					
S-JTC-30	S	Joint Compound, White, Chalky	Mop Closet 1	Assumed	NF	G	200	SF
			Mop Closet 2					
			P.E. Storage 2					

MATERIAL SAMPLE CODE	MTL TYPE	MATERIAL DESCRIPTION	MATERIAL LOCATION	ANALYTICAL RESULTS	FRIABILITY	MATERIAL ASSESS. CLASS	MTL QUAN	UNITS
	M/S/T			%/ASSUMED	NF/F	G/D/SD		LF/SF/EA
			Electrical Room					
S·SAT·32	S	Spray-Applied Texture, White, Chalky	Gymnasium	Assumed	NF	G	4,500	SF
			Vestibule 4					
			Vestibule 3					
			P.E. Office 1					
			Vestibule 1					
			Vestibule 2					
			P.E. Storage					
			Vestibule 5					
			Vestibule 6					
			P.E. Office 2					
			Vestibule 7					
			Vestibule 8					
			Gym Storage					
M·GWB·33	M	Gypsum Wallboard, White, Chalky	Gymnasium	Assumed	NF	G	4,500	SF
			Vestibule 4					
			Vestibule 3					
			P.E. Office 1					
			Vestibule 1					
			Vestibule 2					
			P.E. Storage					
			Vestibule 5					
			Vestibule 6					
			P.E. Office 2					
			Vestibule 7					
			Vestibule 8					
			Gym Storage					
S·JTC·34	S	Joint Compound, White, Chalky	Gymnasium	Assumed	NF	G	450	SF
			Vestibule 4					

MATERIAL SAMPLE CODE	MTL TYPE	MATERIAL DESCRIPTION	MATERIAL LOCATION	ANALYTICAL RESULTS	FRIABILITY	MATERIAL ASSESS. CLASS	MTL QUAN	UNITS
	M/S/T			%/ASSUMED	NF/F	G/D/SD		LF/SF/EA
			Vestibule 3					
			P.E. Office 1					
			Vestibule 1					
			Vestibule 2					
			P.E. Storage					
			Vestibule 5					
			Vestibule 6					
			P.E. Office 2					
			Vestibule 7					
			Vestibule 8					
			Gym Storage					
S-SAT-39	S	Spray-Applied Texture, White, Chalky	Men's Locker Room	Assumed	NF	G	12,000	SF
			P.E. Restroom 1					
			Team Locker 1					
			Women's Locker Room					
			P.E. Restroom 2					
			Team Locker 2					
M-GWB-40	M	Gypsum Wallboard, White, Chalky	Men's Locker Room	Assumed	NF	G	12,000	SF
			P.E. Restroom 1					
			Team Locker 1					
			Women's Locker Room					
			P.E. Restroom 2					
			Team Locker 2					
S-JTC-41	S	Joint Compound, White, Chalky	Men's Locker Room	Assumed	NF	G	1,200	SF
			P.E. Restroom 1					
			Team Locker 1					
			Women's Locker Room					
			P.E. Restroom 2					
			Team Locker 2					

MATERIAL SAMPLE CODE	MTL TYPE	MATERIAL DESCRIPTION	MATERIAL LOCATION	ANALYTICAL RESULTS	FRIABILITY	MATERIAL ASSESS. CLASS	MTL QUAN	UNITS
	M/S/T			%/ASSUMED	NF/F	G/D/SD		LF/SF/EA
M-GWT-42	M	Glazed Wall Tile, 4", Light Green, Smooth	Men's Showers	Assumed	NF	G	2,000	SF
			Men's Locker Room					
			Team Locker 1					
			Women's Showers					
			Women's Locker Room					
			Team Locker 2					
M-GWT-43	M	Glazed Wall Tile, 4", Green, Smooth	Men's Showers	Assumed	NF	G	2,000	SF
			Men's Locker Room					
			Team Locker 1					
			Women's Showers					
			Women's Locker Room					
			Team Locker 2					
M-GRT-44	M	Grout, Gray, Cementitious	Men's Showers	Assumed	NF	G	400	SF
			Men's Locker Room					
			Team Locker 1					
			Women's Showers					
			Women's Locker Room					
			Team Locker 2					
M-GWT-45	M	Glazed Wall Tile, 6"X8", White, Smooth	Men's Locker Room	Assumed	NF	G	3,000	SF
			Team Locker 1					
			Women's Locker Room					
			Team Locker 2					
M-GRT-46	M	Grout, Gray, Cementitious	Men's Locker Room	Assumed	NF	G	300	SF
			Team Locker 1					
			Women's Locker Room					
			Team Locker 2					

MATERIAL SAMPLE CODE	MTL TYPE	MATERIAL DESCRIPTION	MATERIAL LOCATION	ANALYTICAL RESULTS	FRIABILITY	MATERIAL ASSESS. CLASS	MTL QUAN	UNITS
	M/S/T			%/ASSUMED	NF/F	G/D/SD		LF/SF/EA
M-CMT-47	M	Ceramic Mosaic Tile, 4"X4", White, Smooth	Men's Locker Room	Assumed	NF	G	4,000	SF
			Team Locker 1					
			Women's Locker Room					
			Team Locker 2					
M-GRT-48	M	Grout, Gray, Cementitious	Men's Locker Room	Assumed	NF	G	400	SF
			Team Locker 1					
			Women's Locker Room					
			Team Locker 2					
M-CON-50	M	Concrete, White, Cementitious, Blue Specks	P.E. Restroom 1	Assumed	NF	G	75	SF
			P.E. Restroom 2					
M-GWT-51	M	Glazed Wall Tile, 4"X4", Tan, Smooth	Men's Showers	Assumed	NF	G	200	SF
			Men's Locker Room					
			Women's Showers					
			Women's Locker Room					
M-ADH-52	M	Adhesive (FRP), Brown, Brittle	Mop Closet 1	Assumed	NF	G	12	SF
			Mop Closet 2					
M-CMT-55	M	Ceramic Mosaic Tile, 2"X2", Light Green, Smooth	Men's Showers	Assumed	NF	G	750	SF
			Women's Showers					
M-CMT-56	M	Ceramic Mosaic Tile (Pattern), 2"X2", Green, Smooth	Men's Showers	Assumed	NF	G	250	SF
			Women's Showers					
M-CMT-57	M	Ceramic Mosaic Tile (Pattern), 2"X2", Tan, Smooth	Men's Showers	Assumed	NF	G	250	SF
			Women's Showers					

MATERIAL SAMPLE CODE	MTL TYPE	MATERIAL DESCRIPTION	MATERIAL LOCATION	ANALYTICAL RESULTS	FRIABILITY	MATERIAL ASSESS. CLASS	MTL QUAN	UNITS
	M/S/T			%/ASSUMED	NF/F	G/D/SD		LF/SF/EA
M-WAB-59	M	Wallbase (L-Shaped), 4", Black, Vinyl-Like	Gymnasium	Assumed	NF	G	125	SF
M-ADH-60	M	Adhesive, Cream, Pliable	Gymnasium	Assumed	NF	G	125	SF



## 6-MONTH SURVEILLANCE INSPECTION TABLE

### IN-PLACE ASBESTOS-CONTAINING MATERIALS

MATERIAL SAMPLE CODE	MTL TYPE	MATERIAL DESCRIPTION	MATERIAL LOCATION	ANALYTICAL RESULTS	FRIABILITY	MATERIAL ASSESS. CLASS	MTL QUAN	UNITS
	M/S/T			%/ASSUMED	NF/F	G/D/SD		LF/SF/EA
M-BUR-01	M	Built-Up Roofing, Black, Asphaltic, Gray Mineral Cap	Roof	Assumed	NF	G	20,000	SF
M-MAS-02	M	Mastic (Penetrations And Flashings), Black, Brittle	Roof	Assumed	NF	G	100	SF
M-SLT-03	M	Sealant (Flashing), Gray, Pliable	Roof	Assumed	NF	G	50	SF
M-WDB-04	M	Woven Duct Boot, 2", Black, Rubber-Like	Classroom F100	Assumed	NF	G	50	SF
			Classroom F101					
			Classroom F102					
			Classroom F103					
			Classroom F104					
			Classroom F105					
			Classroom F106					
			Classroom F107					
			Storage 1					
			Mechanical 1					
			Classroom F108					
			Classroom F109					
			Room F109 Restroom					
			Classroom F110					
			Room E110					
			Room E111					
			Boy's Restroom 1					
			Girl's Restroom 1					
			Stairwell					
			Corridor 1					
			Classroom F200					

MATERIAL SAMPLE CODE	MTL TYPE	MATERIAL DESCRIPTION	MATERIAL LOCATION	ANALYTICAL RESULTS	FRIABILITY	MATERIAL ASSESS. CLASS	MTL QUAN	UNITS
	M/S/T			%/ASSUMED	NF/F	G/D/SD		LF/SF/EA
			Classroom F201					
			Classroom F202					
			Classroom F203					
			Classroom F204					
			Classroom F205					
			Classroom F206					
			Classroom F207					
			Storage 2					
			Mechanical 2					
			Staff Men's Restroom					
			Storage 3					
			Work Room F208					
			Staff Women's Restroom					
			Storage 4					
			Room E210					
			Room E211					
			Boy's Restroom 2					
			Girl's Restroom 2					
			Corridor 2					
			Roof					
M-SLT-05	M	Sealant (Duct), Gray, Pliable	Classroom F100	Assumed	NF	G	50	SF
			Classroom F101					
			Classroom F102					
			Classroom F103					
			Classroom F104					
			Classroom F105					
			Classroom F106					
			Classroom F107					
			Storage 1					
			Mechanical 1					
			Classroom F108					
			Classroom F109					

MATERIAL SAMPLE CODE	MTL TYPE	MATERIAL DESCRIPTION	MATERIAL LOCATION	ANALYTICAL RESULTS	FRIABILITY	MATERIAL ASSESS. CLASS	MTL QUAN	UNITS
	M/S/T			%/ASSUMED	NF/F	G/D/SD		LF/SF/EA
			Room F109 Restroom					
			Classroom F110					
			Room E110					
			Room E111					
			Boy's Restroom 1					
			Girl's Restroom 1					
			Stairwell					
			Corridor 1					
			Classroom F200					
			Classroom F201					
			Classroom F202					
			Classroom F203					
			Classroom F204					
			Classroom F205					
			Classroom F206					
			Classroom F207					
			Storage 2					
			Mechanical 2					
			Staff Men's Restroom					
			Storage 3					
			Work Room F208					
			Staff Women's Restroom					
			Storage 4					
			Room E210					
			Room E211					
			Boy's Restroom 2					
			Girl's Restroom 2					
			Corridor 2					
			Roof					
M-SLT-06	M	Sealant (Duct), Pink, Pliable	Classroom F100	Assumed	NF	G	50	SF
			Classroom F101					
			Classroom F102					

MATERIAL SAMPLE CODE	MTL TYPE	MATERIAL DESCRIPTION	MATERIAL LOCATION	ANALYTICAL RESULTS	FRIABILITY	MATERIAL ASSESS. CLASS	MTL QUAN	UNITS
	M/S/T			%/ASSUMED	NF/F	G/D/SD		LF/SF/EA
			Classroom F103					
			Classroom F104					
			Classroom F105					
			Classroom F106					
			Classroom F107					
			Storage 1					
			Mechanical 1					
			Classroom F108					
			Classroom F109					
			Room F109 Restroom					
			Classroom F110					
			Room E110					
			Room E111					
			Boy's Restroom 1					
			Girl's Restroom 1					
			Stairwell					
			Corridor 1					
			Classroom F200					
			Classroom F201					
			Classroom F202					
			Classroom F203					
			Classroom F204					
			Classroom F205					
			Classroom F206					
			Classroom F207					
			Storage 2					
			Mechanical 2					
			Staff Men's Restroom					
			Storage 3					
			Work Room F208					
			Staff Women's Restroom					
			Storage 4					
			Room E210					

MATERIAL SAMPLE CODE	MTL TYPE	MATERIAL DESCRIPTION	MATERIAL LOCATION	ANALYTICAL RESULTS	FRIABILITY	MATERIAL ASSESS. CLASS	MTL QUAN	UNITS
	M/S/T			%/ASSUMED	NF/F	G/D/SD		LF/SF/EA
			Room E211					
			Boy's Restroom 2					
			Girl's Restroom 2					
			Corridor 2					
			Roof					
M-BRK-07	M	Brick, 4"X16", Red, Cementitious	Mechanical 3	Assumed	NF	G	5,000	SF
			Corridor 1					
			Corridor 2					
			Exterior					
M-CMU-08	M	Concrete Masonry Unit, 4"X16", Gray, Cementitious, Tan	Exterior	Assumed	NF	G	5,000	SF
M-CMU-09	M	Concrete Masonry Unit, 4"X16", Gray, Cementitious, Rough	Exterior	Assumed	NF	G	1,000	SF
M-CMU-10	M	Concrete Masonry Unit, 4"X16", Dark Gray, Cementitious, Smooth	Exterior	Assumed	NF	G	100	SF
M-CMU-11	M	Concrete Masonry Unit, 8"X8", Dark Gray, Cementitious, Smooth	Exterior	Assumed	NF	G	100	SF
M-MRT-12	M	Mortar, Gray, Cementitious	Mechanical 3	Assumed	NF	G	1,200	SF
			Exterior					
M-SLT-13	M	Sealant (Doors, Millwork, Walls), White, Pliable	Classroom F100	Assumed	NF	G	100	SF
			Classroom F101					
			Classroom F102					
			Classroom F103					
			Classroom F104					
			Classroom F105					
			Classroom F106					
			Classroom F107					

MATERIAL SAMPLE CODE	MTL TYPE	MATERIAL DESCRIPTION	MATERIAL LOCATION	ANALYTICAL RESULTS	FRIABILITY	MATERIAL ASSESS. CLASS	MTL QUAN	UNITS
	M/S/T			%/ASSUMED	NF/F	G/D/SD		LF/SF/EA
			Storage 1					
			Classroom F108					
			Classroom F109					
			Room F109 Restroom					
			Classroom F110					
			Room E110					
			Room E111					
			Boy's Restroom 1					
			Girl's Restroom 1					
			Corridor 1					
			Classroom F200					
			Classroom F201					
			Classroom F202					
			Classroom F203					
			Classroom F204					
			Classroom F205					
			Classroom F206					
			Classroom F207					
			Storage 2					
			Mechanical 2					
			Staff Men's Restroom					
			Storage 3					
			Work Room F208					
			Staff Women's Restroom					
			Storage 4					
			Room E210					
			Room E211					
			Boy's Restroom 2					
			Girl's Restroom 2					
			Corridor 2					
			Exterior					
			Roof					

MATERIAL SAMPLE CODE	MTL TYPE	MATERIAL DESCRIPTION	MATERIAL LOCATION	ANALYTICAL RESULTS	FRIABILITY	MATERIAL ASSESS. CLASS	MTL QUAN	UNITS
	M/S/T			%/ASSUMED	NF/F	G/D/SD		LF/SF/EA
M·SLT·14	M	Sealant (Walls), Brown, Pliable	Corridor 1	Assumed	NF	G	50	SF
			Corridor 2					
			Exterior					
M·SLT·15	M	Sealant (Walls), Gray, Pliable	Exterior	Assumed	NF	G	50	SF
M·MRT·16	M	Mortar (Glass Block), White, Cementitious	Corridor 1	Assumed	NF	G	50	SF
			Corridor 2					
			Exterior					
M·GWT·17	M	Glazed Wall Tile, 4"X4", Light Green, Smooth	Exterior	Assumed	NF	G	100	SF
M·GRT·18	M	Grout, Brown, Cementitious	Exterior	Assumed	NF	G	10	SF
S·TOT·19	S	Troweled-On Texture, White, Chalky	Mechanical 1	Assumed	NF	G	2,500	SF
			Room E110					
			Room E111					
			Mechanical 2					
			Room E210					
			Room E211					
			Exterior					
M·GWB·20	M	Gypsum Wallboard, White, Chalky	Mechanical 1	Assumed	NF	G	2,500	SF
			Room E110					
			Room E111					
			Mechanical 2					
			Room E210					
			Room E211					
			Exterior					
S·JTC·21	S	Joint Compound, White, Chalky	Mechanical 1	Assumed	NF	G	250	SF

MATERIAL SAMPLE CODE	MTL TYPE	MATERIAL DESCRIPTION	MATERIAL LOCATION	ANALYTICAL RESULTS	FRIABILITY	MATERIAL ASSESS. CLASS	MTL QUAN	UNITS
	M/S/T			%/ASSUMED	NF/F	G/D/SD		LF/SF/EA
			Room E110					
			Room E111					
			Mechanical 2					
			Room E210					
			Room E211					
			Exterior					
M-CON-22	M	Concrete (Entries), Gray, Cementitious	Exterior	Assumed	NF	G	12,500	SF
M-CON-23	M	Concrete (Foundation), Gray, Cementitious	Classroom F100	Assumed	NF	G	25,000	SF
			Classroom F101					
			Classroom F102					
			Classroom F103					
			Classroom F104					
			Classroom F105					
			Classroom F106					
			Classroom F107					
			Storage 1					
			Mechanical 1					
			Mechanical 3					
			Classroom F108					
			Classroom F109					
			Room F109 Restroom					
			Classroom F110					
			Room E110					
			Room E111					
			Boy's Restroom 1					
			Girl's Restroom 1					
			Stairwell					
			Corridor 1					
			Classroom F200					
			Classroom F201					



MATERIAL SAMPLE CODE	MTL TYPE	MATERIAL DESCRIPTION	MATERIAL LOCATION	ANALYTICAL RESULTS	FRIABILITY	MATERIAL ASSESS. CLASS	MTL QUAN	UNITS
	M/S/T			%/ASSUMED	NF/F	G/D/SD		LF/SF/EA
			Classroom F202					
			Classroom F203					
			Classroom F204					
			Classroom F205					
			Classroom F206					
			Classroom F207					
			Storage 2					
			Mechanical 2					
			Staff Men's Restroom					
			Storage 3					
			Work Room F208					
			Staff Women's Restroom					
			Storage 4					
			Room E210					
			Room E211					
			Boy's Restroom 2					
			Girl's Restroom 2					
			Corridor 2					
M-FDI-32	M	Fire Door Insulation, Metal/Wood Cladding	Classroom F100	Assumed	NF	G	1,323	SF
			Classroom F101					
			Classroom F102					
			Classroom F103					
			Classroom F104					
			Classroom F105					
			Classroom F106					
			Classroom F107					
			Storage 1					
			Mechanical 1					
			Classroom F108					
			Classroom F109					
			Room F109 Restroom					

MATERIAL SAMPLE CODE	MTL TYPE	MATERIAL DESCRIPTION	MATERIAL LOCATION	ANALYTICAL RESULTS	FRIABILITY	MATERIAL ASSESS. CLASS	MTL QUAN	UNITS
	M/S/T			%/ASSUMED	NF/F	G/D/SD		LF/SF/EA
			Classroom F110					
			Room E110					
			Room E111					
			Boy's Restroom 1					
			Girl's Restroom 1					
			Corridor 1					
			Classroom F200					
			Classroom F201					
			Classroom F202					
			Classroom F203					
			Classroom F204					
			Classroom F205					
			Classroom F206					
			Classroom F207					
			Storage 2					
			Mechanical 2					
			Staff Men's Restroom					
			Storage 3					
			Work Room F208					
			Staff Women's Restroom					
			Storage 4					
			Room E210					
			Room E211					
			Boy's Restroom 2					
			Girl's Restroom 2					
			Corridor 2					
S-SAT-33	S	Spray-Applied Texture, White, Chalky	Corridor 1	Assumed	NF	G	1,200	SF
			Corridor 2					
S-SAT-34	S	Spray-Applied Texture, White, Chalky	Classroom F100	Assumed	NF	G	23,000	SF
			Classroom F101					

MATERIAL SAMPLE CODE	MTL TYPE	MATERIAL DESCRIPTION	MATERIAL LOCATION	ANALYTICAL RESULTS	FRIABILITY	MATERIAL ASSESS. CLASS	MTL QUAN	UNITS
	M/S/T			%/ASSUMED	NF/F	G/D/SD		LF/SF/EA
			Classroom F102					
			Classroom F103					
			Classroom F104					
			Classroom F105					
			Classroom F106					
			Classroom F107					
			Storage 1					
			Classroom F108					
			Classroom F109					
			Classroom F110					
			Classroom F200					
			Classroom F201					
			Classroom F202					
			Classroom F203					
			Classroom F204					
			Classroom F205					
			Classroom F206					
			Classroom F207					
			Storage 2					
			Storage 3					
			Work Room F208					
			Storage 4					
M-GWB-35	M	Gypsum Wallboard, White, Chalky	Classroom F100	Assumed	NF	G	23,000	SF
			Classroom F101					
			Classroom F102					
			Classroom F103					
			Classroom F104					
			Classroom F105					
			Classroom F106					
			Classroom F107					
			Storage 1					
			Classroom F108					

MATERIAL SAMPLE CODE	MTL TYPE	MATERIAL DESCRIPTION	MATERIAL LOCATION	ANALYTICAL RESULTS	FRIABILITY	MATERIAL ASSESS. CLASS	MTL QUAN	UNITS
	M/S/T			%/ASSUMED	NF/F	G/D/SD		LF/SF/EA
			Classroom F109					
			Classroom F110					
			Classroom F200					
			Classroom F201					
			Classroom F202					
			Classroom F203					
			Classroom F204					
			Classroom F205					
			Classroom F206					
			Classroom F207					
			Storage 2					
			Storage 3					
			Work Room F208					
			Storage 4					
S-JTC-36	S	Joint Compound, White, Chalky	Classroom F100	Assumed	NF	G	2,300	SF
			Classroom F101					
			Classroom F102					
			Classroom F103					
			Classroom F104					
			Classroom F105					
			Classroom F106					
			Classroom F107					
			Storage 1					
			Classroom F108					
			Classroom F109					
			Classroom F110					
			Classroom F200					
			Classroom F201					
			Classroom F202					
			Classroom F203					
			Classroom F204					
			Classroom F205					

MATERIAL SAMPLE CODE	MTL TYPE	MATERIAL DESCRIPTION	MATERIAL LOCATION	ANALYTICAL RESULTS	FRIABILITY	MATERIAL ASSESS. CLASS	MTL QUAN	UNITS
	M/S/T			%/ASSUMED	NF/F	G/D/SD		LF/SF/EA
			Classroom F206					
			Classroom F207					
			Storage 2					
			Storage 3					
			Work Room F208					
			Storage 4					
M·SAC·38	M	Sink Acoustical Coating, Gray, Rough	Classroom F100	Assumed	NF	G	30	SF
			Classroom F101					
			Classroom F102					
			Classroom F103					
			Classroom F104					
			Classroom F105					
			Classroom F110					
			Classroom F200					
			Classroom F201					
			Classroom F202					
			Classroom F203					
			Classroom F204					
			Classroom F205					
			Work Room F208					
S·SAT·40	S	Spray-Applied Texture, White, Chalky	Room F109 Restroom	Assumed	NF	G	3,500	SF
			Boy's Restroom 1					
			Girl's Restroom 1					
			Staff Men's Restroom					
			Staff Women's Restroom					
			Boy's Restroom 2					
			Girl's Restroom 2					
M·GWB·41	M	Gypsum Wallboard, White, Chalky	Room F109 Restroom	Assumed	NF	G	3,500	SF
			Boy's Restroom 1					

MATERIAL SAMPLE CODE	MTL TYPE	MATERIAL DESCRIPTION	MATERIAL LOCATION	ANALYTICAL RESULTS	FRIABILITY	MATERIAL ASSESS. CLASS	MTL QUAN	UNITS
	M/S/T			%/ASSUMED	NF/F	G/D/SD		LF/SF/EA
			Girl's Restroom 1					
			Staff Men's Restroom					
			Staff Women's Restroom					
			Boy's Restroom 2					
			Girl's Restroom 2					
S-JTC-42	S	Joint Compound, White, Chalky	Room F109 Restroom	Assumed	NF	G	350	SF
			Boy's Restroom 1					
			Girl's Restroom 1					
			Staff Men's Restroom					
			Staff Women's Restroom					
			Boy's Restroom 2					
			Girl's Restroom 2					
M-GWT-43	M	Glazed Wall Tile, 4"X4", Tan, Smooth	Room F109 Restroom	Assumed	NF	G	2,500	SF
			Boy's Restroom 1					
			Girl's Restroom 1					
			Staff Men's Restroom					
			Staff Women's Restroom					
			Boy's Restroom 2					
			Girl's Restroom 2					
M-GWT-44	M	Glazed Wall Tile (Pattern), 4"X4", Light Green, Smooth	Room F109 Restroom	Assumed	NF	G	250	SF
			Boy's Restroom 1					
			Girl's Restroom 1					
			Staff Men's Restroom					
			Staff Women's Restroom					
			Boy's Restroom 2					
			Girl's Restroom 2					
M-GWT-45	M	Glazed Wall Tile (Pattern), 4"X4", Dark Green, Smooth	Room F109 Restroom	Assumed	NF	G	250	SF

MATERIAL SAMPLE CODE	MTL TYPE	MATERIAL DESCRIPTION	MATERIAL LOCATION	ANALYTICAL RESULTS	FRIABILITY	MATERIAL ASSESS. CLASS	MTL QUAN	UNITS
	M/S/T			%/ASSUMED	NF/F	G/D/SD		LF/SF/EA
			Boy's Restroom 1					
			Girl's Restroom 1					
			Staff Men's Restroom					
			Staff Women's Restroom					
			Boy's Restroom 2					
			Girl's Restroom 2					
M-GRT-46	M	Grout, Gray, Cementitious	Room F109 Restroom	Assumed	NF	G	300	SF
			Boy's Restroom 1					
			Girl's Restroom 1					
			Staff Men's Restroom					
			Staff Women's Restroom					
			Boy's Restroom 2					
			Girl's Restroom 2					
M-CMT-47	M	Ceramic Mosaic Tile, 2"X2", Tan, Smooth	Room F109 Restroom	Assumed	NF	G	1,000	SF
			Boy's Restroom 1					
			Girl's Restroom 1					
			Staff Men's Restroom					
			Staff Women's Restroom					
			Boy's Restroom 2					
			Girl's Restroom 2					
M-CMT-48	M	Ceramic Mosaic Tile (Pattern), 2"X2", Light Green, Smooth	Room F109 Restroom	Assumed	NF	G	150	SF
			Boy's Restroom 1					
			Girl's Restroom 1					
			Staff Men's Restroom					
			Staff Women's Restroom					
			Boy's Restroom 2					
			Girl's Restroom 2					

MATERIAL SAMPLE CODE	MTL TYPE	MATERIAL DESCRIPTION	MATERIAL LOCATION	ANALYTICAL RESULTS	FRIABILITY	MATERIAL ASSESS. CLASS	MTL QUAN	UNITS
	M/S/T			%/ASSUMED	NF/F	G/D/SD		LF/SF/EA
M-CMT-49	M	Ceramic Mosaic Tile (Pattern), 2"X2", Dark Green, Smooth	Room F109 Restroom	Assumed	NF	G	150	SF
			Boy's Restroom 1					
			Girl's Restroom 1					
			Staff Men's Restroom					
			Staff Women's Restroom					
			Boy's Restroom 2					
			Girl's Restroom 2					
M-GRT-50	M	Grout, Gray, Cementitious	Room F109 Restroom	Assumed	NF	G	130	SF
			Boy's Restroom 1					
			Girl's Restroom 1					
			Staff Men's Restroom					
			Staff Women's Restroom					
			Boy's Restroom 2					
			Girl's Restroom 2					
M-SLT-52	M	Sealant (Doors, Windows), Black, Tar-Like	Corridor 1	Assumed	NF	G	15	SF
			Corridor 2					
M-SLT-54	M	Sealant (Fire Stop), Green, Pliable	Classroom F100	Assumed	NF	G	100	SF
			Classroom F101					
			Classroom F102					
			Classroom F103					
			Classroom F104					
			Classroom F105					
			Classroom F106					
			Classroom F107					
			Storage 1					
			Mechanical 1					
			Elevator					
			Mechanical 3					
			Classroom F108					



MATERIAL SAMPLE CODE	MTL TYPE	MATERIAL DESCRIPTION	MATERIAL LOCATION	ANALYTICAL RESULTS	FRIABILITY	MATERIAL ASSESS. CLASS	MTL QUAN	UNITS
	M/S/T			%/ASSUMED	NF/F	G/D/SD		LF/SF/EA
			Classroom F109					
			Room F109 Restroom					
			Classroom F110					
			Room E110					
			Room E111					
			Boy's Restroom 1					
			Girl's Restroom 1					
			Stairwell					
			Corridor 1					
			Classroom F200					
			Classroom F201					
			Classroom F202					
			Classroom F203					
			Classroom F204					
			Classroom F205					
			Classroom F206					
			Classroom F207					
			Storage 2					
			Mechanical 2					
			Staff Men's Restroom					
			Storage 3					
			Work Room F208					
			Staff Women's Restroom					
			Storage 4					
			Room E210					
			Room E211					
			Boy's Restroom 2					
			Girl's Restroom 2					
			Corridor 2					
M-ADH-55	M	Adhesive (FRP), Brown, Brittle	Room E111	Assumed	NF	G	25	SF
M-PES-60	M	Pipe End Sealant, White, Pliable	Classroom F100	Assumed	NF	G	50	SF

MATERIAL SAMPLE CODE	MTL TYPE	MATERIAL DESCRIPTION	MATERIAL LOCATION	ANALYTICAL RESULTS	FRIABILITY	MATERIAL ASSESS. CLASS	MTL QUAN	UNITS
	M/S/T			%/ASSUMED	NF/F	G/D/SD		LF/SF/EA
			Classroom F101					
			Classroom F102					
			Classroom F103					
			Classroom F104					
			Classroom F105					
			Classroom F106					
			Classroom F107					
			Storage 1					
			Mechanical 1					
			Elevator					
			Mechanical 3					
			Classroom F108					
			Classroom F109					
			Room F109 Restroom					
			Classroom F110					
			Room E110					
			Room E111					
			Boy's Restroom 1					
			Girl's Restroom 1					
			Stairwell					
			Corridor 1					
			Classroom F200					
			Classroom F201					
			Classroom F202					
			Classroom F203					
			Classroom F204					
			Classroom F205					
			Classroom F206					
			Classroom F207					
			Storage 2					
			Mechanical 2					
			Staff Men's Restroom					
			Storage 3					

MATERIAL SAMPLE CODE	MTL TYPE	MATERIAL DESCRIPTION	MATERIAL LOCATION	ANALYTICAL RESULTS	FRIABILITY	MATERIAL ASSESS. CLASS	MTL QUAN	UNITS
	M/S/T			%/ASSUMED	NF/F	G/D/SD		LF/SF/EA
			Work Room F208					
			Staff Women's Restroom					
			Storage 4					
			Room E210					
			Room E211					
			Boy's Restroom 2					
			Girl's Restroom 2					
			Corridor 2					
M-CMU-61	M	Concrete Masonry Unit, 8"X16", Gray, Cementitious	Mechanical 3	Assumed	NF	G	100	SF
M-GAS-62	M	Gasket, 4", Black, Rubber-Like	Mechanical 3	Assumed	NF	G	10	SF

## 6-MONTH SURVEILLANCE INSPECTION TABLE

### IN-PLACE ASBESTOS-CONTAINING MATERIALS

MATERIAL SAMPLE CODE	MTL TYPE	MATERIAL DESCRIPTION	MATERIAL LOCATION	ANALYTICAL RESULTS	FRIABILITY	MATERIAL ASSESS. CLASS	MTL QUAN	UNITS
	M/S/T			%/ASSUMED	NF/F	G/D/SD		LF/SF/EA
M-BUR-01	M	Built-Up Roofing, Black, Asphaltic, Gray Mineral Cap	Roof	Assumed	NF	G	20,000	SF
M-MAS-02	M	Mastic (Penetrations And Flashings), Black, Brittle	Roof	Assumed	NF	G	100	SF
M-SLT-03	M	Sealant (Flashing), Gray, Pliable	Roof	Assumed	NF	G	50	SF
M-WDB-04	M	Woven Duct Boot, 2", Black, Rubber-Like	Classroom G100	Assumed	NF	G	50	SF
			Classroom G101					
			Classroom G102					
			Classroom G103					
			Classroom G104					
			Classroom G105					
			Classroom G106					
			Classroom G107					
			Storage 1					
			Mechanical 1					
			Classroom G108					
			Classroom G109					
			Room G109 Restroom					
			Test					
			Classroom G110					
			Room E110					
			Room E111					
			Boy's Restroom 1					
			Girl's Restroom 1					
			Stairwell					
			Corridor 1					

MATERIAL SAMPLE CODE	MTL TYPE	MATERIAL DESCRIPTION	MATERIAL LOCATION	ANALYTICAL RESULTS	FRIABILITY	MATERIAL ASSESS. CLASS	MTL QUAN	UNITS
	M/S/T			%/ASSUMED	NF/F	G/D/SD		LF/SF/EA
			Classroom G200					
			Classroom G201					
			Classroom G202					
			Classroom G203					
			Classroom G204					
			Classroom G205					
			Classroom G206					
			Classroom G207					
			Storage 2					
			Mechanical 2					
			Staff Men's Restroom					
			Storage 3					
			Work Room G208					
			Staff Women's Restroom					
			Storage 4					
			Room E210					
			Room E211					
			Boy's Restroom 2					
			Girl's Restroom 2					
			Corridor 2					
			Roof					
M-SLT-05	M	Sealant (Duct), Gray, Pliable	Classroom G100	Assumed	NF	G	50	SF
			Classroom G101					
			Classroom G102					
			Classroom G103					
			Classroom G104					
			Classroom G105					
			Classroom G106					
			Classroom G107					
			Storage 1					
			Mechanical 1					
			Classroom G108					

MATERIAL SAMPLE CODE	MTL TYPE	MATERIAL DESCRIPTION	MATERIAL LOCATION	ANALYTICAL RESULTS	FRIABILITY	MATERIAL ASSESS. CLASS	MTL QUAN	UNITS
	M/S/T			%/ASSUMED	NF/F	G/D/SD		LF/SF/EA
			Classroom G109					
			Room G109 Restroom					
			Test					
			Classroom G110					
			Room E110					
			Room E111					
			Boy's Restroom 1					
			Girl's Restroom 1					
			Stairwell					
			Corridor 1					
			Classroom G200					
			Classroom G201					
			Classroom G202					
			Classroom G203					
			Classroom G204					
			Classroom G205					
			Classroom G206					
			Classroom G207					
			Storage 2					
			Mechanical 2					
			Staff Men's Restroom					
			Storage 3					
			Work Room G208					
			Staff Women's Restroom					
			Storage 4					
			Room E210					
			Room E211					
			Boy's Restroom 2					
			Girl's Restroom 2					
			Corridor 2					
			Roof					
M-SLT-06	M	Sealant (Duct), Pink, Pliable	Classroom G100	Assumed	NF	G	50	SF

MATERIAL SAMPLE CODE	MTL TYPE	MATERIAL DESCRIPTION	MATERIAL LOCATION	ANALYTICAL RESULTS	FRIABILITY	MATERIAL ASSESS. CLASS	MTL QUAN	UNITS
	M/S/T			%/ASSUMED	NF/F	G/D/SD		LF/SF/EA
			Classroom G101					
			Classroom G102					
			Classroom G103					
			Classroom G104					
			Classroom G105					
			Classroom G106					
			Classroom G107					
			Storage 1					
			Mechanical 1					
			Classroom G108					
			Classroom G109					
			Room G109 Restroom					
			Test					
			Classroom G110					
			Room E110					
			Room E111					
			Boy's Restroom 1					
			Girl's Restroom 1					
			Stairwell					
			Corridor 1					
			Classroom G200					
			Classroom G201					
			Classroom G202					
			Classroom G203					
			Classroom G204					
			Classroom G205					
			Classroom G206					
			Classroom G207					
			Storage 2					
			Mechanical 2					
			Staff Men's Restroom					
			Storage 3					
			Work Room G208					

MATERIAL SAMPLE CODE	MTL TYPE	MATERIAL DESCRIPTION	MATERIAL LOCATION	ANALYTICAL RESULTS	FRIABILITY	MATERIAL ASSESS. CLASS	MTL QUAN	UNITS
	M/S/T			%/ASSUMED	NF/F	G/D/SD		LF/SF/EA
			Staff Women's Restroom					
			Storage 4					
			Room E210					
			Room E211					
			Boy's Restroom 2					
			Girl's Restroom 2					
			Corridor 2					
			Roof					
M-BRK-07	M	Brick, 4"X16", Red, Cementitious	Corridor 1	Assumed	NF	G	5,000	SF
			Corridor 2					
			Exterior					
M-CMU-08	M	Concrete Masonry Unit, 4"X16", Gray, Cementitious, Tan	Exterior	Assumed	NF	G	5,000	SF
M-CMU-09	M	Concrete Masonry Unit, 4"X16", Gray, Cementitious, Rough	Exterior	Assumed	NF	G	1,000	SF
M-CMU-10	M	Concrete Masonry Unit, 4"X16", Dark Gray, Cementitious, Smooth	Exterior	Assumed	NF	G	100	SF
M-CMU-11	M	Concrete Masonry Unit, 8"X8", Dark Gray, Cementitious, Smooth	Exterior	Assumed	NF	G	100	SF
M-MRT-12	M	Mortar, Gray, Cementitious	Corridor 1	Assumed	NF	G	1,200	SF
			Corridor 2					
			Exterior					
M-SLT-13	M	Sealant (Doors, Millwork, Walls), White, Pliable	Classroom G100	Assumed	NF	G	50	SF
			Classroom G101					
			Classroom G102					
			Classroom G103					
			Classroom G104					



MATERIAL SAMPLE CODE	MTL TYPE	MATERIAL DESCRIPTION	MATERIAL LOCATION	ANALYTICAL RESULTS	FRIABILITY	MATERIAL ASSESS. CLASS	MTL QUAN	UNITS
	M/S/T			%/ASSUMED	NF/F	G/D/SD		LF/SF/EA
			Classroom G105					
			Classroom G106					
			Classroom G107					
			Storage 1					
			Classroom G108					
			Classroom G109					
			Room G109 Restroom					
			Classroom G110					
			Room E110					
			Room E111					
			Boy's Restroom 1					
			Girl's Restroom 1					
			Corridor 1					
			Classroom G200					
			Classroom G201					
			Classroom G202					
			Classroom G203					
			Classroom G204					
			Classroom G205					
			Classroom G206					
			Classroom G207					
			Storage 2					
			Mechanical 2					
			Storage 3					
			Work Room G208					
			Storage 4					
			Room E210					
			Room E211					
			Exterior					
			Roof					
M-SLT-14	M	Sealant (Doors, Walls, Flashing), Brown, Pliable	Corridor 1	Assumed	NF	G	25	SF

MATERIAL SAMPLE CODE	MTL TYPE	MATERIAL DESCRIPTION	MATERIAL LOCATION	ANALYTICAL RESULTS	FRIABILITY	MATERIAL ASSESS. CLASS	MTL QUAN	UNITS
	M/S/T			%/ASSUMED	NF/F	G/D/SD		LF/SF/EA
			Corridor 2					
			Exterior					
M·SLT·15	M	Sealant (Walls), Gray, Pliable	Exterior	Assumed	NF	G	50	SF
M·MRT·16	M	Mortar (Glass Block), White, Cementitious	Corridor 1	Assumed	NF	G	50	SF
			Corridor 2					
			Exterior					
M·GWT·17	M	Glazed Wall Tile, 4"X4", Light Green, Smooth	Exterior	Assumed	NF	G	100	SF
M·GRT·18	M	Grout, Brown, Cementitious	Exterior	Assumed	NF	G	10	SF
S·TOT·19	S	Troweled-On Texture, White, Chalky	Mechanical 1	Assumed	NF	G	2,500	SF
			Room E110					
			Room E111					
			Mechanical 2					
			Room E210					
			Room E211					
			Exterior					
M·GWB·20	M	Gypsum Wallboard, White, Chalky	Mechanical 1	Assumed	NF	G	2,500	SF
			Room E110					
			Room E111					
			Mechanical 2					
			Room E210					
			Room E211					
			Exterior					
S·JTC·21	S	Joint Compound, White, Chalky	Mechanical 1	Assumed	NF	G	250	SF
			Room E110					

MATERIAL SAMPLE CODE	MTL TYPE	MATERIAL DESCRIPTION	MATERIAL LOCATION	ANALYTICAL RESULTS	FRIABILITY	MATERIAL ASSESS. CLASS	MTL QUAN	UNITS
	M/S/T			%/ASSUMED	NF/F	G/D/SD		LF/SF/EA
			Room E111					
			Mechanical 2					
			Room E210					
			Room E211					
			Exterior					
M-CON-22	M	Concrete (Entries), Gray, Cementitious	Exterior	Assumed	NF	G	12,500	SF
M-CON-23	M	Concrete (Foundation), Gray, Cementitious	Classroom G100	Assumed	NF	G	25,000	SF
			Classroom G101					
			Classroom G102					
			Classroom G103					
			Classroom G104					
			Classroom G105					
			Classroom G106					
			Classroom G107					
			Storage 1					
			Mechanical 1					
			Classroom G108					
			Classroom G109					
			Room G109 Restroom					
			Test					
			Classroom G110					
			Room E110					
			Room E111					
			Boy's Restroom 1					
			Girl's Restroom 1					
			Stairwell					
			Corridor 1					
			Classroom G200					
			Classroom G201					
			Classroom G202					

MATERIAL SAMPLE CODE	MTL TYPE	MATERIAL DESCRIPTION	MATERIAL LOCATION	ANALYTICAL RESULTS	FRIABILITY	MATERIAL ASSESS. CLASS	MTL QUAN	UNITS
	M/S/T			%/ASSUMED	NF/F	G/D/SD		LF/SF/EA
			Classroom G203					
			Classroom G204					
			Classroom G205					
			Classroom G206					
			Classroom G207					
			Storage 2					
			Mechanical 2					
			Staff Men's Restroom					
			Storage 3					
			Work Room G208					
			Staff Women's Restroom					
			Storage 4					
			Room E210					
			Room E211					
			Boy's Restroom 2					
			Girl's Restroom 2					
			Corridor 2					
			Exterior					
M-FDI-32	M	Fire Door Insulation, Metal/Wood Cladding	Classroom G100	Assumed	NF	G	1,302	SF
			Classroom G101					
			Classroom G102					
			Classroom G103					
			Classroom G104					
			Classroom G105					
			Classroom G106					
			Classroom G107					
			Storage 1					
			Mechanical 1					
			Classroom G108					
			Classroom G109					
			Room G109 Restroom					

MATERIAL SAMPLE CODE	MTL TYPE	MATERIAL DESCRIPTION	MATERIAL LOCATION	ANALYTICAL RESULTS	FRIABILITY	MATERIAL ASSESS. CLASS	MTL QUAN	UNITS
	M/S/T			%/ASSUMED	NF/F	G/D/SD		LF/SF/EA
			Classroom G110					
			Room E110					
			Room E111					
			Boy's Restroom 1					
			Girl's Restroom 1					
			Corridor 1					
			Classroom G200					
			Classroom G201					
			Classroom G202					
			Classroom G203					
			Classroom G204					
			Classroom G205					
			Classroom G206					
			Classroom G207					
			Storage 2					
			Mechanical 2					
			Staff Men's Restroom					
			Storage 3					
			Work Room G208					
			Staff Women's Restroom					
			Storage 4					
			Room E210					
			Room E211					
			Boy's Restroom 2					
			Girl's Restroom 2					
			Corridor 2					
S-SAT-34	S	Spray-Applied Texture, White, Chalky	Classroom G100	Assumed	NF	G	23,000	SF
			Classroom G101					
			Classroom G102					
			Classroom G103					
			Classroom G104					

MATERIAL SAMPLE CODE	MTL TYPE	MATERIAL DESCRIPTION	MATERIAL LOCATION	ANALYTICAL RESULTS	FRIABILITY	MATERIAL ASSESS. CLASS	MTL QUAN	UNITS
	M/S/T			%/ASSUMED	NF/F	G/D/SD		LF/SF/EA
			Classroom G105					
			Classroom G106					
			Classroom G107					
			Storage 1					
			Classroom G108					
			Classroom G109					
			Test					
			Classroom G110					
			Classroom G200					
			Classroom G201					
			Classroom G202					
			Classroom G203					
			Classroom G204					
			Classroom G205					
			Classroom G206					
			Classroom G207					
			Storage 2					
			Storage 3					
			Work Room G208					
			Storage 4					
M-SAC-38	M	Sink Acoustical Coating, White, Rough	Classroom G100	Assumed	NF	G	30	SF
			Classroom G101					
			Classroom G102					
			Classroom G103					
			Classroom G104					
			Classroom G105					
			Classroom G108					
			Classroom G110					
			Classroom G200					
			Classroom G201					
			Classroom G202					

MATERIAL SAMPLE CODE	MTL TYPE	MATERIAL DESCRIPTION	MATERIAL LOCATION	ANALYTICAL RESULTS	FRIABILITY	MATERIAL ASSESS. CLASS	MTL QUAN	UNITS
	M/S/T			%/ASSUMED	NF/F	G/D/SD		LF/SF/EA
			Classroom G203					
			Classroom G204					
			Classroom G205					
S-SAT-40	S	Spray-Applied Texture, White, Chalky	Room G109 Restroom	Assumed	NF	G	3,500	SF
			Boy's Restroom 1					
			Girl's Restroom 1					
			Staff Men's Restroom					
			Staff Women's Restroom					
			Boy's Restroom 2					
			Girl's Restroom 2					
M-GWB-41	M	Gypsum Wallboard, White, Chalky	Room G109 Restroom	Assumed	NF	G	3,500	SF
			Boy's Restroom 1					
			Girl's Restroom 1					
			Staff Men's Restroom					
			Staff Women's Restroom					
			Boy's Restroom 2					
			Girl's Restroom 2					
S-JTC-42	S	Joint Compound, White, Chalky	Room G109 Restroom	Assumed	NF	G	350	SF
			Boy's Restroom 1					
			Girl's Restroom 1					
			Staff Men's Restroom					
			Staff Women's Restroom					
			Boy's Restroom 2					
			Girl's Restroom 2					
M-GWT-43	M	Glazed Wall Tile, 4"X4", Tan, Smooth	Room G109 Restroom	Assumed	NF	G	2,500	SF
			Boy's Restroom 1					
			Girl's Restroom 1					
			Staff Men's Restroom					

MATERIAL SAMPLE CODE	MTL TYPE	MATERIAL DESCRIPTION	MATERIAL LOCATION	ANALYTICAL RESULTS	FRIABILITY	MATERIAL ASSESS. CLASS	MTL QUAN	UNITS
	M/S/T			%/ASSUMED	NF/F	G/D/SD		LF/SF/EA
			Staff Women's Restroom					
			Boy's Restroom 2					
			Girl's Restroom 2					
M-GWT-44	M	Glazed Wall Tile (Pattern), 4"X4", Light Green, Smooth	Room G109 Restroom	Assumed	NF	G	250	SF
			Boy's Restroom 1					
			Girl's Restroom 1					
			Staff Men's Restroom					
			Staff Women's Restroom					
			Boy's Restroom 2					
			Girl's Restroom 2					
M-GWT-45	M	Glazed Wall Tile (Pattern), 4"X4", Green, Smooth	Room G109 Restroom	Assumed	NF	G	250	SF
			Boy's Restroom 1					
			Girl's Restroom 1					
			Staff Men's Restroom					
			Staff Women's Restroom					
			Boy's Restroom 2					
			Girl's Restroom 2					
M-GRT-46	M	Grout, Gray, Cementitious	Room G109 Restroom	Assumed	NF	G	300	SF
			Boy's Restroom 1					
			Girl's Restroom 1					
			Staff Men's Restroom					
			Staff Women's Restroom					
			Boy's Restroom 2					
			Girl's Restroom 2					
M-CMT-47	M	Ceramic Mosaic Tile, 2"X2", Tan, Smooth	Room G109 Restroom	Assumed	NF	G	1,000	SF
			Boy's Restroom 1					
			Girl's Restroom 1					



MATERIAL SAMPLE CODE	MTL TYPE	MATERIAL DESCRIPTION	MATERIAL LOCATION	ANALYTICAL RESULTS	FRIABILITY	MATERIAL ASSESS. CLASS	MTL QUAN	UNITS
	M/S/T			%/ASSUMED	NF/F	G/D/SD		LF/SF/EA
			Staff Men's Restroom					
			Staff Women's Restroom					
			Boy's Restroom 2					
			Girl's Restroom 2					
M-CMT-48	M	Ceramic Mosaic Tile (Pattern), 2"X2", Light Green, Smooth	Room G109 Restroom	Assumed	NF	G	150	SF
			Boy's Restroom 1					
			Girl's Restroom 1					
			Staff Men's Restroom					
			Staff Women's Restroom					
			Boy's Restroom 2					
			Girl's Restroom 2					
M-CMT-49	M	Ceramic Mosaic Tile (Pattern), 2"X2", Dark Green, Smooth	Room G109 Restroom	Assumed	NF	G	150	SF
			Boy's Restroom 1					
			Girl's Restroom 1					
			Staff Men's Restroom					
			Staff Women's Restroom					
			Boy's Restroom 2					
			Girl's Restroom 2					
M-GRT-50	M	Grout, Gray, Cementitious	Room G109 Restroom	Assumed	NF	G	130	SF
			Boy's Restroom 1					
			Girl's Restroom 1					
			Staff Men's Restroom					
			Staff Women's Restroom					
			Boy's Restroom 2					
			Girl's Restroom 2					
M-TWP-51	M	Tackable Wall Panel, Brown, Fibrous, Vinyl Cover	Classroom G100	Assumed	NF	G	3,500	SF
			Classroom G101					

MATERIAL SAMPLE CODE	MTL TYPE	MATERIAL DESCRIPTION	MATERIAL LOCATION	ANALYTICAL RESULTS	FRIABILITY	MATERIAL ASSESS. CLASS	MTL QUAN	UNITS
	M/S/T			%/ASSUMED	NF/F	G/D/SD		LF/SF/EA
			Classroom G102					
			Classroom G103					
			Classroom G104					
			Classroom G105					
			Classroom G106					
			Classroom G107					
			Classroom G200					
			Classroom G201					
			Classroom G202					
			Classroom G203					
			Classroom G204					
			Classroom G205					
			Classroom G206					
			Classroom G207					
M-SLT-52	M	Sealant (Doors, Windows), Black, Tar-Like	Corridor 1	Assumed	NF	G	15	SF
			Corridor 2					
M-SLT-54	M	Sealant (Fire Stop), Green, Pliable	Classroom G100	Assumed	NF	G	50	SF
			Classroom G101					
			Classroom G102					
			Classroom G103					
			Classroom G104					
			Classroom G105					
			Classroom G106					
			Classroom G107					
			Storage 1					
			Mechanical 1					
			Classroom G108					
			Classroom G109					
			Room G109 Restroom					
			Test					

MATERIAL SAMPLE CODE	MTL TYPE	MATERIAL DESCRIPTION	MATERIAL LOCATION	ANALYTICAL RESULTS	FRIABILITY	MATERIAL ASSESS. CLASS	MTL QUAN	UNITS
	M/S/T			%/ASSUMED	NF/F	G/D/SD		LF/SF/EA
			Classroom G110					
			Room E110					
			Room E111					
			Boy's Restroom 1					
			Girl's Restroom 1					
			Stairwell					
			Corridor 1					
			Classroom G200					
			Classroom G201					
			Classroom G202					
			Classroom G203					
			Classroom G204					
			Classroom G205					
			Classroom G206					
			Classroom G207					
			Storage 2					
			Mechanical 2					
			Staff Men's Restroom					
			Storage 3					
			Work Room G208					
			Staff Women's Restroom					
			Storage 4					
			Room E210					
			Room E211					
			Boy's Restroom 2					
			Girl's Restroom 2					
			Corridor 2					
M-ADH-55	M	Adhesive (FRP), Brown, Brittle	Room E111	Assumed	NF	G	25	SF
M-PES-60	M	Pipe End Sealant, White, Pliable	Classroom G100	Assumed	NF	G	50	SF
			Classroom G101					
			Classroom G102					

MATERIAL SAMPLE CODE	MTL TYPE	MATERIAL DESCRIPTION	MATERIAL LOCATION	ANALYTICAL RESULTS	FRIABILITY	MATERIAL ASSESS. CLASS	MTL QUAN	UNITS
	M/S/T			%/ASSUMED	NF/F	G/D/SD		LF/SF/EA
			Classroom G103					
			Classroom G104					
			Classroom G105					
			Classroom G106					
			Classroom G107					
			Storage 1					
			Mechanical 1					
			Elevator					
			Mechanical 3					
			Classroom G108					
			Classroom G109					
			Room G109 Restroom					
			Test					
			Classroom G110					
			Room E110					
			Room E111					
			Boy's Restroom 1					
			Girl's Restroom 1					
			Stairwell					
			Corridor 1					
			Classroom G200					
			Classroom G201					
			Classroom G202					
			Classroom G203					
			Classroom G204					
			Classroom G205					
			Classroom G206					
			Classroom G207					
			Storage 2					
			Mechanical 2					
			Staff Men's Restroom					
			Storage 3					
			Work Room G208					

MATERIAL SAMPLE CODE	MTL TYPE	MATERIAL DESCRIPTION	MATERIAL LOCATION	ANALYTICAL RESULTS	FRIABILITY	MATERIAL ASSESS. CLASS	MTL QUAN	UNITS
	M/S/T			%/ASSUMED	NF/F	G/D/SD		LF/SF/EA
			Staff Women's Restroom					
			Storage 4					
			Room E210					
			Room E211					
			Boy's Restroom 2					
			Girl's Restroom 2					
			Corridor 2					

## 6-MONTH SURVEILLANCE INSPECTION TABLE

### IN-PLACE ASBESTOS-CONTAINING MATERIALS

MATERIAL SAMPLE CODE	MTL TYPE	MATERIAL DESCRIPTION	MATERIAL LOCATION	ANALYTICAL RESULTS	FRIABILITY	MATERIAL ASSESS. CLASS	MTL QUAN	UNITS
	M/S/T			%/ASSUMED	NF/F	G/D/SD		LF/SF/EA
M-BUR-01	M	Built-Up Roofing, Black, Asphaltic, Gray Mineral Cap	Roof	Assumed	NF	G	16,000	SF
M-MAS-02	M	Mastic (Penetrations And Flashings), Black, Brittle	Roof	Assumed	NF	G	100	SF
M-SLT-03	M	Sealant (Flashing), Gray, Pliable	Roof	Assumed	NF	G	50	SF
M-WDB-04	M	Woven Duct Boot, 2", Black, Rubber-Like	Classroom H100	Assumed	NF	G	50	SF
			Classroom H101					
			Classroom H102					
			Classroom H103					
			Classroom H104					
			Classroom H105					
			Classroom H106					
			Classroom H107					
			Storage 1					
			Mechanical 1					
			Classroom H108					
			Classroom H109					
			Room H109 Restroom					
			Classroom H110					
			Room E110					
			Room E111					
			Boy's Restroom 1					
			Girl's Restroom 1					
			Stairwell					
			Corridor 1					
			Classroom H200					

MATERIAL SAMPLE CODE	MTL TYPE	MATERIAL DESCRIPTION	MATERIAL LOCATION	ANALYTICAL RESULTS	FRIABILITY	MATERIAL ASSESS. CLASS	MTL QUAN	UNITS
	M/S/T			%/ASSUMED	NF/F	G/D/SD		LF/SF/EA
			Classroom H201					
			Classroom H202					
			Classroom H203					
			Classroom H204					
			Classroom H205					
			Classroom H206					
			Classroom H207					
			Storage 2					
			Mechanical 2					
			Staff Men's Restroom					
			Storage 3					
			Work Room H208					
			Staff Women's Restroom					
			Storage 4					
			Room E210					
			Room E211					
			Boy's Restroom 2					
			Girl's Restroom 2					
			Corridor 2					
			Roof					
M-SLT-05	M	Sealant (Duct), Gray, Pliable	Classroom H100	Assumed	NF	G	50	SF
			Classroom H101					
			Classroom H102					
			Classroom H103					
			Classroom H104					
			Classroom H105					
			Classroom H106					
			Classroom H107					
			Storage 1					
			Mechanical 1					
			Classroom H108					
			Classroom H109					

MATERIAL SAMPLE CODE	MTL TYPE	MATERIAL DESCRIPTION	MATERIAL LOCATION	ANALYTICAL RESULTS	FRIABILITY	MATERIAL ASSESS. CLASS	MTL QUAN	UNITS
	M/S/T			%/ASSUMED	NF/F	G/D/SD		LF/SF/EA
			Room H109 Restroom					
			Classroom H110					
			Room E110					
			Room E111					
			Boy's Restroom 1					
			Girl's Restroom 1					
			Stairwell					
			Corridor 1					
			Classroom H200					
			Classroom H201					
			Classroom H202					
			Classroom H203					
			Classroom H204					
			Classroom H205					
			Classroom H206					
			Classroom H207					
			Storage 2					
			Mechanical 2					
			Staff Men's Restroom					
			Storage 3					
			Work Room H208					
			Staff Women's Restroom					
			Storage 4					
			Room E210					
			Room E211					
			Boy's Restroom 2					
			Girl's Restroom 2					
			Corridor 2					
			Roof					
M-SLT-06	M	Sealant (Duct), Pink, Pliable	Classroom H100	Assumed	NF	G	50	SF
			Classroom H101					
			Classroom H102					



MATERIAL SAMPLE CODE	MTL TYPE	MATERIAL DESCRIPTION	MATERIAL LOCATION	ANALYTICAL RESULTS	FRIABILITY	MATERIAL ASSESS. CLASS	MTL QUAN	UNITS
	M/S/T			%/ASSUMED	NF/F	G/D/SD		LF/SF/EA
			Classroom H103					
			Classroom H104					
			Classroom H105					
			Classroom H106					
			Classroom H107					
			Storage 1					
			Mechanical 1					
			Classroom H108					
			Classroom H109					
			Room H109 Restroom					
			Classroom H110					
			Room E110					
			Room E111					
			Boy's Restroom 1					
			Girl's Restroom 1					
			Stairwell					
			Corridor 1					
			Classroom H200					
			Classroom H201					
			Classroom H202					
			Classroom H203					
			Classroom H204					
			Classroom H205					
			Classroom H206					
			Classroom H207					
			Storage 2					
			Mechanical 2					
			Staff Men's Restroom					
			Storage 3					
			Work Room H208					
			Staff Women's Restroom					
			Storage 4					
			Room E210					

MATERIAL SAMPLE CODE	MTL TYPE	MATERIAL DESCRIPTION	MATERIAL LOCATION	ANALYTICAL RESULTS	FRIABILITY	MATERIAL ASSESS. CLASS	MTL QUAN	UNITS
	M/S/T			%/ASSUMED	NF/F	G/D/SD		LF/SF/EA
			Room E211					
			Boy's Restroom 2					
			Girl's Restroom 2					
			Corridor 2					
			Roof					
M-CMU-07	M	Concrete Masonry Unit, 4"X16", Red, Cementitious	Corridor 1	Assumed	NF	G	5,000	SF
			Corridor 2					
			Exterior					
M-CMU-08	M	Concrete Masonry Unit, 4"X16", Gray, Cementitious, Tan	Exterior	Assumed	NF	G	5,000	SF
M-CMU-09	M	Concrete Masonry Unit, 4"X16", Gray, Cementitious, Rough	Exterior	Assumed	NF	G	1,000	SF
M-CMU-10	M	Concrete Masonry Unit, 4"X16", Dark Gray, Cementitious, Smooth	Exterior	Assumed	NF	G	100	SF
M-CMU-11	M	Concrete Masonry Unit, 8"X8", Dark Gray, Cementitious, Smooth	Exterior	Assumed	NF	G	100	SF
M-MRT-12	M	Mortar, Gray, Cementitious	Mechanical 3	Assumed	NF	G	1,500	SF
			Exterior					
M-SLT-13	M	Sealant (Doors, Windows, Millwork, Walls), White, Pliable	Classroom H100	Assumed	NF	G	100	SF
			Classroom H101					
			Classroom H102					
			Classroom H103					
			Classroom H104					
			Classroom H105					
			Classroom H106					
			Classroom H107					
			Storage 1					

MATERIAL SAMPLE CODE	MTL TYPE	MATERIAL DESCRIPTION	MATERIAL LOCATION	ANALYTICAL RESULTS	FRIABILITY	MATERIAL ASSESS. CLASS	MTL QUAN	UNITS
	M/S/T			%/ASSUMED	NF/F	G/D/SD		LF/SF/EA
			Classroom H108					
			Classroom H109					
			Room H109 Restroom					
			Classroom H110					
			Room E110					
			Room E111					
			Boy's Restroom 1					
			Girl's Restroom 1					
			Corridor 1					
			Classroom H200					
			Classroom H201					
			Classroom H202					
			Classroom H203					
			Classroom H204					
			Classroom H205					
			Classroom H206					
			Classroom H207					
			Storage 2					
			Mechanical 2					
			Staff Men's Restroom					
			Storage 3					
			Work Room H208					
			Staff Women's Restroom					
			Storage 4					
			Room E210					
			Room E211					
			Boy's Restroom 2					
			Girl's Restroom 2					
			Corridor 2					
			Exterior					
			Roof					
M-SLT-14	M	Sealant (Walls), Brown, Pliable	Corridor 1	Assumed	NF	G	50	SF

MATERIAL SAMPLE CODE	MTL TYPE	MATERIAL DESCRIPTION	MATERIAL LOCATION	ANALYTICAL RESULTS	FRIABILITY	MATERIAL ASSESS. CLASS	MTL QUAN	UNITS
	M/S/T			%/ASSUMED	NF/F	G/D/SD		LF/SF/EA
			Corridor 2					
			Exterior					
M·SLT·15	M	Sealant (Walls), Gray, Pliable	Exterior	Assumed	NF	G	50	SF
M·MRT·16	M	Mortar (Glass Block), White, Cementitious	Corridor 1	Assumed	NF	G	50	SF
			Corridor 2					
			Exterior					
M·GWT·17	M	Glazed Wall Tile, 4"X4", Light Green, Smooth	Exterior	Assumed	NF	G	100	SF
M·GRT·18	M	Grout, Brown, Cementitious	Exterior	Assumed	NF	G	10	SF
S·TOT·19	S	Troweled-On Texture, White, Chalky	Mechanical 1	Assumed	NF	G	2,500	SF
			Room E110					
			Room E111					
			Mechanical 2					
			Room E210					
			Room E211					
			Exterior					
M·GWB·20	M	Gypsum Wallboard, White, Chalky	Mechanical 1	Assumed	NF	G	2,500	SF
			Room E110					
			Room E111					
			Mechanical 2					
			Room E210					
			Room E211					
			Exterior					
S·JTC·21	S	Joint Compound, White, Chalky	Mechanical 1	Assumed	NF	G	250	SF
			Room E110					

MATERIAL SAMPLE CODE	MTL TYPE	MATERIAL DESCRIPTION	MATERIAL LOCATION	ANALYTICAL RESULTS	FRIABILITY	MATERIAL ASSESS. CLASS	MTL QUAN	UNITS
	M/S/T			%/ASSUMED	NF/F	G/D/SD		LF/SF/EA
			Room E111					
			Mechanical 2					
			Room E210					
			Room E211					
			Exterior					
M-CON-22	M	Concrete (Entries), Gray, Cementitious	Exterior	Assumed	NF	G	2,000	SF
M-CON-23	M	Concrete (Foundation), Gray, Cementitious	Classroom H100	Assumed	NF	G	32,000	SF
			Classroom H101					
			Classroom H102					
			Classroom H103					
			Classroom H104					
			Classroom H105					
			Classroom H106					
			Classroom H107					
			Storage 1					
			Mechanical 1					
			Classroom H108					
			Classroom H109					
			Room H109 Restroom					
			Classroom H110					
			Room E110					
			Room E111					
			Boy's Restroom 1					
			Girl's Restroom 1					
			Stairwell					
			Corridor 1					
			Classroom H200					
			Classroom H201					
			Classroom H202					
			Classroom H203					

MATERIAL SAMPLE CODE	MTL TYPE	MATERIAL DESCRIPTION	MATERIAL LOCATION	ANALYTICAL RESULTS	FRIABILITY	MATERIAL ASSESS. CLASS	MTL QUAN	UNITS
	M/S/T			%/ASSUMED	NF/F	G/D/SD		LF/SF/EA
			Classroom H204					
			Classroom H205					
			Classroom H206					
			Classroom H207					
			Storage 2					
			Mechanical 2					
			Staff Men's Restroom					
			Storage 3					
			Work Room H208					
			Staff Women's Restroom					
			Storage 4					
			Room E210					
			Room E211					
			Boy's Restroom 2					
			Girl's Restroom 2					
			Corridor 2					
			Exterior					
M-FDI-32	M	Fire Door Insulation, Metal/Wood Cladding	Classroom H100	Assumed	NF	G	1,260	SF
			Classroom H101					
			Classroom H102					
			Classroom H103					
			Classroom H104					
			Classroom H105					
			Classroom H106					
			Classroom H107					
			Storage 1					
			Classroom H108					
			Classroom H109					
			Room H109 Restroom					
			Classroom H110					
			Room E110					

MATERIAL SAMPLE CODE	MTL TYPE	MATERIAL DESCRIPTION	MATERIAL LOCATION	ANALYTICAL RESULTS	FRIABILITY	MATERIAL ASSESS. CLASS	MTL QUAN	UNITS
	M/S/T			%/ASSUMED	NF/F	G/D/SD		LF/SF/EA
			Room E111					
			Boy's Restroom 1					
			Girl's Restroom 1					
			Corridor 1					
			Classroom H200					
			Classroom H201					
			Classroom H202					
			Classroom H203					
			Classroom H204					
			Classroom H205					
			Classroom H206					
			Classroom H207					
			Storage 2					
			Mechanical 2					
			Staff Men's Restroom					
			Storage 3					
			Work Room H208					
			Staff Women's Restroom					
			Storage 4					
			Room E210					
			Room E211					
			Boy's Restroom 2					
			Girl's Restroom 2					
			Corridor 2					
			Exterior					
S-SAT-33	S	Spray-Applied Texture, White, Chalky	Corridor 1	Assumed	NF	G	1,200	SF
			Corridor 2					
S-SAT-34	S	Spray-Applied Texture, White, Chalky	Classroom H100	Assumed	NF	G	23,000	SF
			Classroom H101					
			Classroom H102					

MATERIAL SAMPLE CODE	MTL TYPE	MATERIAL DESCRIPTION	MATERIAL LOCATION	ANALYTICAL RESULTS	FRIABILITY	MATERIAL ASSESS. CLASS	MTL QUAN	UNITS
	M/S/T			%/ASSUMED	NF/F	G/D/SD		LF/SF/EA
			Classroom H103					
			Classroom H104					
			Classroom H105					
			Classroom H106					
			Classroom H107					
			Storage 1					
			Classroom H108					
			Classroom H109					
			Classroom H110					
			Classroom H200					
			Classroom H201					
			Classroom H202					
			Classroom H203					
			Classroom H204					
			Classroom H205					
			Classroom H206					
			Classroom H207					
			Storage 2					
			Storage 3					
			Work Room H208					
			Storage 4					
M-GWB-35	M	Gypsum Wallboard, White, Chalky	Classroom H100	Assumed	NF	G	23,000	SF
			Classroom H101					
			Classroom H102					
			Classroom H103					
			Classroom H104					
			Classroom H105					
			Classroom H106					
			Classroom H107					
			Storage 1					
			Classroom H108					
			Classroom H109					



MATERIAL SAMPLE CODE	MTL TYPE	MATERIAL DESCRIPTION	MATERIAL LOCATION	ANALYTICAL RESULTS	FRIABILITY	MATERIAL ASSESS. CLASS	MTL QUAN	UNITS
	M/S/T			%/ASSUMED	NF/F	G/D/SD		LF/SF/EA
			Classroom H110					
			Classroom H200					
			Classroom H201					
			Classroom H202					
			Classroom H203					
			Classroom H204					
			Classroom H205					
			Classroom H206					
			Classroom H207					
			Storage 2					
			Storage 3					
			Work Room H208					
			Storage 4					
S-JTC-36	S	Joint Compound, White, Chalky	Classroom H100	Assumed	NF	G	2,300	SF
			Classroom H101					
			Classroom H102					
			Classroom H103					
			Classroom H104					
			Classroom H105					
			Classroom H106					
			Classroom H107					
			Storage 1					
			Classroom H108					
			Classroom H109					
			Classroom H110					
			Classroom H200					
			Classroom H201					
			Classroom H202					
			Classroom H203					
			Classroom H204					
			Classroom H205					
			Classroom H206					

MATERIAL SAMPLE CODE	MTL TYPE	MATERIAL DESCRIPTION	MATERIAL LOCATION	ANALYTICAL RESULTS	FRIABILITY	MATERIAL ASSESS. CLASS	MTL QUAN	UNITS
	M/S/T			%/ASSUMED	NF/F	G/D/SD		LF/SF/EA
			Classroom H207					
			Storage 2					
			Storage 3					
			Work Room H208					
			Storage 4					
M·SAC·38	M	Sink Acoustical Coating, White, Rough	Classroom H100	Assumed	NF	G	30	SF
			Classroom H101					
			Classroom H102					
			Classroom H103					
			Classroom H104					
			Classroom H105					
			Classroom H200					
			Classroom H201					
			Classroom H202					
			Classroom H203					
			Classroom H204					
			Classroom H205					
S·SAT·40	S	Spray-Applied Texture, White, Chalky	Room H109 Restroom	Assumed	NF	G	3,500	SF
			Boy's Restroom 1					
			Girl's Restroom 1					
			Staff Men's Restroom					
			Staff Women's Restroom					
			Boy's Restroom 2					
			Girl's Restroom 2					
M·GWB·41	M	Gypsum Wallboard, White, Chalky	Room H109 Restroom	Assumed	NF	G	3,500	SF
			Boy's Restroom 1					
			Girl's Restroom 1					
			Staff Men's Restroom					
			Staff Women's Restroom					

MATERIAL SAMPLE CODE	MTL TYPE	MATERIAL DESCRIPTION	MATERIAL LOCATION	ANALYTICAL RESULTS	FRIABILITY	MATERIAL ASSESS. CLASS	MTL QUAN	UNITS
	M/S/T			%/ASSUMED	NF/F	G/D/SD		LF/SF/EA
			Boy's Restroom 2					
			Girl's Restroom 2					
S-JTC-42	S	Joint Compound, White, Chalky	Room H109 Restroom	Assumed	NF	G	350	SF
			Boy's Restroom 1					
			Girl's Restroom 1					
			Staff Men's Restroom					
			Staff Women's Restroom					
			Boy's Restroom 2					
			Girl's Restroom 2					
M-GWT-43	M	Glazed Wall Tile, 4"X4", Tan, Smooth	Room H109 Restroom	Assumed	NF	G	2,500	SF
			Boy's Restroom 1					
			Girl's Restroom 1					
			Staff Men's Restroom					
			Staff Women's Restroom					
			Boy's Restroom 2					
			Girl's Restroom 2					
M-GWT-44	M	Glazed Wall Tile (Pattern), 4"X4", Light Green, Smooth	Room H109 Restroom	Assumed	NF	G	250	SF
			Boy's Restroom 1					
			Girl's Restroom 1					
			Staff Men's Restroom					
			Staff Women's Restroom					
			Boy's Restroom 2					
			Girl's Restroom 2					
M-GWT-45	M	Glazed Wall Tile (Pattern), 4"X4", Dark Green, Smooth	Room H109 Restroom	Assumed	NF	G	250	SF
			Boy's Restroom 1					
			Girl's Restroom 1					
			Staff Men's Restroom					

MATERIAL SAMPLE CODE	MTL TYPE	MATERIAL DESCRIPTION	MATERIAL LOCATION	ANALYTICAL RESULTS	FRIABILITY	MATERIAL ASSESS. CLASS	MTL QUAN	UNITS
	M/S/T			%/ASSUMED	NF/F	G/D/SD		LF/SF/EA
			Staff Women's Restroom					
			Boy's Restroom 2					
			Girl's Restroom 2					
M-GRT-46	M	Grout, Gray, Cementitious	Room H109 Restroom	Assumed	NF	G	300	SF
			Boy's Restroom 1					
			Girl's Restroom 1					
			Staff Men's Restroom					
			Staff Women's Restroom					
			Boy's Restroom 2					
			Girl's Restroom 2					
M-CMT-47	M	Ceramic Mosaic Tile, 2"X2", Tan, Smooth	Room H109 Restroom	Assumed	NF	G	1,000	SF
			Boy's Restroom 1					
			Girl's Restroom 1					
			Staff Men's Restroom					
			Staff Women's Restroom					
			Boy's Restroom 2					
			Girl's Restroom 2					
M-CMT-48	M	Ceramic Mosaic Tile, 2"X2", Light Green, Smooth	Room H109 Restroom	Assumed	NF	G	150	SF
			Boy's Restroom 1					
			Girl's Restroom 1					
			Staff Men's Restroom					
			Staff Women's Restroom					
			Boy's Restroom 2					
			Girl's Restroom 2					

MATERIAL SAMPLE CODE	MTL TYPE	MATERIAL DESCRIPTION	MATERIAL LOCATION	ANALYTICAL RESULTS	FRIABILITY	MATERIAL ASSESS. CLASS	MTL QUAN	UNITS
	M/S/T			%/ASSUMED	NF/F	G/D/SD		LF/SF/EA
M-CMT-49	M	Ceramic Mosaic Tile, 2"X2", Green, Smooth	Room H109 Restroom	Assumed	NF	G	150	SF
			Boy's Restroom 1					
			Girl's Restroom 1					
			Staff Men's Restroom					
			Staff Women's Restroom					
			Boy's Restroom 2					
			Girl's Restroom 2					
M-GRT-50	M	Grout, Gray, Cementitious	Room H109 Restroom	Assumed	NF	G	130	SF
			Boy's Restroom 1					
			Girl's Restroom 1					
			Staff Men's Restroom					
			Staff Women's Restroom					
			Boy's Restroom 2					
			Girl's Restroom 2					
M-TWP-51	M	Tackable Wall Panel, Brown, Fibrous, Vinyl Cover	Classroom H100	Assumed	NF	G	3,500	SF
			Classroom H101					
			Classroom H102					
			Classroom H103					
			Classroom H104					
			Classroom H105					
			Classroom H106					
			Classroom H107					
			Classroom H200					
			Classroom H201					
			Classroom H202					
			Classroom H203					
			Classroom H204					
			Classroom H205					
			Classroom H206					
			Classroom H207					

MATERIAL SAMPLE CODE	MTL TYPE	MATERIAL DESCRIPTION	MATERIAL LOCATION	ANALYTICAL RESULTS	FRIABILITY	MATERIAL ASSESS. CLASS	MTL QUAN	UNITS
	M/S/T			%/ASSUMED	NF/F	G/D/SD		LF/SF/EA
M-SLT-52	M	Sealant (Doors, Windows), Black, Tar-Like	Corridor 1	Assumed	NF	G	15	SF
			Corridor 2					
M-SLT-54	M	Sealant (Fire Stop), Green, Pliable	Classroom H100	Assumed	NF	G	100	SF
			Classroom H101					
			Classroom H102					
			Classroom H103					
			Classroom H104					
			Classroom H105					
			Classroom H106					
			Classroom H107					
			Storage 1					
			Mechanical 1					
			Classroom H108					
			Classroom H109					
			Room H109 Restroom					
			Classroom H110					
			Room E110					
			Room E111					
			Boy's Restroom 1					
			Girl's Restroom 1					
			Stairwell					
			Corridor 1					
			Classroom H200					
			Classroom H201					
			Classroom H202					
			Classroom H203					
			Classroom H204					
			Classroom H205					
			Classroom H206					
			Classroom H207					

MATERIAL SAMPLE CODE	MTL TYPE	MATERIAL DESCRIPTION	MATERIAL LOCATION	ANALYTICAL RESULTS	FRIABILITY	MATERIAL ASSESS. CLASS	MTL QUAN	UNITS
	M/S/T			%/ASSUMED	NF/F	G/D/SD		LF/SF/EA
			Storage 2					
			Mechanical 2					
			Staff Men's Restroom					
			Storage 3					
			Work Room H208					
			Staff Women's Restroom					
			Storage 4					
			Room E210					
			Room E211					
			Boy's Restroom 2					
			Girl's Restroom 2					
			Corridor 2					
M-ADH-55	M	Adhesive (FRP), Brown, Brittle	Room E111	Assumed	NF	G	25	SF
M-PES-60	M	Pipe End Sealant, White, Pliable	Classroom H100	Assumed	NF	G	100	SF
			Classroom H101					
			Classroom H102					
			Classroom H103					
			Classroom H104					
			Classroom H105					
			Classroom H106					
			Classroom H107					
			Storage 1					
			Mechanical 1					
			Elevator					
			Mechanical 3					
			Classroom H108					
			Classroom H109					
			Room H109 Restroom					
			Classroom H110					
			Room E110					
			Room E111					

MATERIAL SAMPLE CODE	MTL TYPE	MATERIAL DESCRIPTION	MATERIAL LOCATION	ANALYTICAL RESULTS	FRIABILITY	MATERIAL ASSESS. CLASS	MTL QUAN	UNITS
	M/S/T			%/ASSUMED	NF/F	G/D/SD		LF/SF/EA
			Boy's Restroom 1					
			Girl's Restroom 1					
			Stairwell					
			Corridor 1					
			Classroom H200					
			Classroom H201					
			Classroom H202					
			Classroom H203					
			Classroom H204					
			Classroom H205					
			Classroom H206					
			Classroom H207					
			Storage 2					
			Mechanical 2					
			Staff Men's Restroom					
			Storage 3					
			Work Room H208					
			Staff Women's Restroom					
			Storage 4					
			Room E210					
			Room E211					
			Boy's Restroom 2					
			Girl's Restroom 2					
			Corridor 2					



## 6-MONTH SURVEILLANCE INSPECTION TABLE

### IN-PLACE ASBESTOS-CONTAINING MATERIALS

MATERIAL SAMPLE CODE	MTL TYPE	MATERIAL DESCRIPTION	MATERIAL LOCATION	ANALYTICAL RESULTS	FRIABILITY	MATERIAL ASSESS. CLASS	MTL QUAN	UNITS
	M/S/T			%/ASSUMED	NF/F	G/D/SD		LF/SF/EA
S-TOT-01	S	Troweled-On Texture, White, Chalky	Storage 5	Assumed	NF	G	5,000	SF
			Storage 6					
			Storage 7					
			Exterior					
M-GWB-02	M	Gypsum Wallboard, White, Chalky	Storage 5	Assumed	NF	G	5,000	SF
			Storage 6					
			Storage 7					
			Exterior					
S-JTC-03	S	Joint Compound, White, Chalky	Storage 5	Assumed	NF	G	500	SF
			Storage 6					
			Storage 7					
			Exterior					
S-STU-04	S	Stucco, Gray, Cementitious	Storage 5	Assumed	NF	G	1,000	SF
			Storage 6					
			Storage 7					
			Roof					
M-CMU-05	M	Concrete Masonry Unit, 4"X16", Gray, Cementitious	Storage 5	Assumed	NF	G	7,000	SF
			Storage 6					
			Storage 7					
			Exterior					
M-BRK-06	M	Brick, 4"X16", Red, Cementitious	Exterior	Assumed	NF	G	2,200	SF

MATERIAL SAMPLE CODE	MTL TYPE	MATERIAL DESCRIPTION	MATERIAL LOCATION	ANALYTICAL RESULTS	FRIABILITY	MATERIAL ASSESS. CLASS	MTL QUAN	UNITS
	M/S/T			%/ASSUMED	NF/F	G/D/SD		LF/SF/EA
M-CMU-07	M	Concrete Masonry Unit, 8"X8", Gray, Cementitious	Exterior	Assumed	NF	G	150	SF
M-MRT-08	M	Mortar, Gray, Cementitious	Storage 5	Assumed	NF	G	950	SF
			Storage 6					
			Storage 7					
			Exterior					
M-SLT-09	M	Sealant (Doors, Windows, Walls), Gray, Pliable	Exterior	Assumed	NF	G	50	SF
M-SLT-10	M	Sealant (Doors), Tan, Pliable	Storage 5	Assumed	NF	G	16	SF
			Storage 7					
			Exterior					
M-CON-11	M	Concrete (Entries), Gray, Cementitious	Exterior	Assumed	NF	G	7,000	SF
M-CON-12	M	Concrete (Foundation), Gray, Cementitious	Work Room	Assumed	NF	G	8,000	SF
			Detention					
			Phone					
			Men's Restroom 1					
			Women's Restroom 1					
			Work Room Storage					
			Mechanical 1					
			Pantry					
			Storage 1					
			Food Lab					
			Restroom 2					
			Laundry					
			Storage 2					
			Storage 3					
			Storage 4					
			Storage 5					

MATERIAL SAMPLE CODE	MTL TYPE	MATERIAL DESCRIPTION	MATERIAL LOCATION	ANALYTICAL RESULTS	FRIABILITY	MATERIAL ASSESS. CLASS	MTL QUAN	UNITS
	M/S/T			%/ASSUMED	NF/F	G/D/SD		LF/SF/EA
			Storage 6					
			Storage 7					
			Art					
			Cad					
			Exterior					
M-CMU-13	M	Concrete Masonry Unit, 8"X16", Gray, Cementitious	Storage 7	Assumed	NF	G	500	SF
			Exterior					
M-MRT-14	M	Mortar, Gray, Cementitious	Storage 7	Assumed	NF	G	50	SF
			Exterior					
M-CMU-15	M	Concrete Masonry Unit, 4"X16", Gray, Cementitious	Exterior	Assumed	NF	G	150	SF
M-MRT-16	M	Mortar, Gray, Cementitious	Exterior	Assumed	NF	G	300	SF
M-FDI-17	M	Fire Door Insulation, Wood/Metal Cladding	Work Room	Assumed	NF	G	588	SF
			Detention					
			Men's Restroom 1					
			Women's Restroom 1					
			Mechanical 1					
			Storage 1					
			Food Lab					
			Storage 2					
			Storage 3					
			Storage 4					
			Storage 5					
			Storage 7					
			Art					
			Cad					
			Tech Lab					

MATERIAL SAMPLE CODE	MTL TYPE	MATERIAL DESCRIPTION	MATERIAL LOCATION	ANALYTICAL RESULTS	FRIABILITY	MATERIAL ASSESS. CLASS	MTL QUAN	UNITS
	M/S/T			%/ASSUMED	NF/F	G/D/SD		LF/SF/EA
			Tech Server					
			Storage 8					
			Mechanical 2					
			Exterior					
M-CMU-18	M	Concrete Masonry Unit, 4"X16", Dark Gray, Cementitious	Exterior	Assumed	NF	G	50	SF
M-VCT-24	M	Vinyl Composition Tile, 12"X12", Tan, Smooth, Multi-Colored	Detention	Assumed	NF	G	6,000	SF
			Work Room Storage					
			Mechanical 1					
M-SLT-29	M	Sealant (Doors, Windows, Millwork, Fixtures), White, Pliable	Work Room	Assumed	NF	G	43	SF
			Detention					
			Men's Restroom 1					
			Women's Restroom 1					
			Work Room Storage					
			Pantry					
			Storage 1					
			Food Lab					
			Restroom 2					

MATERIAL SAMPLE CODE	MTL TYPE	MATERIAL DESCRIPTION	MATERIAL LOCATION	ANALYTICAL RESULTS	FRIABILITY	MATERIAL ASSESS. CLASS	MTL QUAN	UNITS
	M/S/T			%/ASSUMED	NF/F	G/D/SD		LF/SF/EA
			Laundry					
			Storage 2					
			Storage 3					
			Storage 4					
			Art					
			Cad					
			Tech Lab					
			Tech Server					
			Storage 8					
			Dark Room					
			Mechanical 2					
M-SAC-30	M	Sink Acoustical Coating, Gray, Rough	Work Room	Assumed	NF	G	28	NF
			Detention					
			Food Lab					
			Art					
M-GWB-31	M	Gypsum Wallboard, White, Chalky	Work Room	Assumed	NF	G	9,000	SF
			Detention					
			Phone					
			Men's Restroom 1					
			Women's Restroom 1					
			Work Room Storage					
			Mechanical 1					
			Pantry					
			Storage 1					
			Food Lab					
			Restroom 2					
			Laundry					
			Storage 2					
			Storage 3					
			Storage 4					

MATERIAL SAMPLE CODE	MTL TYPE	MATERIAL DESCRIPTION	MATERIAL LOCATION	ANALYTICAL RESULTS	FRIABILITY	MATERIAL ASSESS. CLASS	MTL QUAN	UNITS
	M/S/T			%/ASSUMED	NF/F	G/D/SD		LF/SF/EA
			Art					
			Cad					
S-JTC-32	S	Joint Compound, White, Chalky	Work Room	Assumed	NF	G	900	SF
			Detention					
			Phone					
			Men's Restroom 1					
			Women's Restroom 1					
			Work Room Storage					
			Mechanical 1					
			Pantry					
			Storage 1					
			Food Lab					
			Restroom 2					
			Laundry					
			Storage 2					
			Storage 3					
			Storage 4					
			Art					
			Cad					
M-ADH-33	M	Adhesive (Residual), Brown, Brittle	Work Room	Assumed	NF	G	3,000	SF
			Detention					
			Phone					
			Men's Restroom 1					
			Women's Restroom 1					
			Work Room Storage					
			Mechanical 1					
			Pantry					
			Storage 1					
			Food Lab					
			Restroom 2					
			Laundry					

MATERIAL SAMPLE CODE	MTL TYPE	MATERIAL DESCRIPTION	MATERIAL LOCATION	ANALYTICAL RESULTS	FRIABILITY	MATERIAL ASSESS. CLASS	MTL QUAN	UNITS
	M/S/T			%/ASSUMED	NF/F	G/D/SD		LF/SF/EA
			Storage 2					
			Storage 3					
			Storage 4					
			Art					
			Cad					
S-SAT-35	S	Spray-Applied Texture, White, Chalky	Men's Restroom 1	Assumed	NF	G	1,500	SF
			Women's Restroom 1					
			Restroom 2					
M-GWB-36	M	Gypsum Wallboard, White, Chalky	Men's Restroom 1	Assumed	NF	G	1,500	SF
			Women's Restroom 1					
			Restroom 2					
S-JTC-37	S	Joint Compound, White, Chalky	Men's Restroom 1	Assumed	NF	G	150	SF
			Women's Restroom 1					
			Restroom 2					
M-GWT-38	M	Glazed Wall Tile, 4"X4", Tan, Smooth	Men's Restroom 1	Assumed	NF	G	1,000	SF
			Women's Restroom 1					
			Restroom 2					
M-GWT-39	M	Glazed Wall Tile (Pattern), 4"X4", Light Green, Smooth	Men's Restroom 1	Assumed	NF	G	100	SF
			Women's Restroom 1					
			Restroom 2					
M-GWT-40	M	Glazed Wall Tile (Pattern), 4"X4", Green, Smooth	Men's Restroom 1	Assumed	NF	G	100	SF
			Women's Restroom 1					
			Restroom 2					

MATERIAL SAMPLE CODE	MTL TYPE	MATERIAL DESCRIPTION	MATERIAL LOCATION	ANALYTICAL RESULTS	FRIABILITY	MATERIAL ASSESS. CLASS	MTL QUAN	UNITS
	M/S/T			%/ASSUMED	NF/F	G/D/SD		LF/SF/EA
M-GRT-41	M	Grout, Gray, Cementitious	Men's Restroom 1	Assumed	NF	G	120	SF
			Women's Restroom 1					
			Restroom 2					
M-CMT-42	M	Ceramic Mosaic Tile, 2"X2", Tan, Smooth	Men's Restroom 1	Assumed	NF	G	1,000	SF
			Women's Restroom 1					
			Restroom 2					
M-CMT-43	M	Ceramic Mosaic Tile, 2"X2", Light Green, Smooth	Men's Restroom 1	Assumed	NF	G	100	SF
			Women's Restroom 1					
			Restroom 2					
M-CMT-44	M	Ceramic Mosaic Tile, 2"X2", Green, Smooth	Men's Restroom 1	Assumed	NF	G	100	SF
			Women's Restroom 1					
			Restroom 2					
M-GRT-45	M	Grout, Gray, Cementitious	Men's Restroom 1	Assumed	NF	G	120	SF
			Women's Restroom 1					
			Restroom 2					
M-PSL-46	M	Pipe Sealant, White, Pliable	Mechanical 1	Assumed	NF	G	5	SF
M-GAS-47	M	Gasket, 4", Black, Rubber-Like	Mechanical 1	Assumed	NF	G	5	SF
M-ADH-48	M	Adhesive (FRP), Brown, Brittle	Storage 1	Assumed	NF	G	25	SF
			Food Lab					
S-SAT-49	S	Spray-Applied Texture, White, Chalky	Tech Lab	Assumed	NF	G	3,000	SF
			Tech Server					
			Storage 8					
			Dark Room					



MATERIAL SAMPLE CODE	MTL TYPE	MATERIAL DESCRIPTION	MATERIAL LOCATION	ANALYTICAL RESULTS	FRIABILITY	MATERIAL ASSESS. CLASS	MTL QUAN	UNITS
	M/S/T			%/ASSUMED	NF/F	G/D/SD		LF/SF/EA
M-GWB-50	M	Gypsum Wallboard, White, Chalky	Tech Lab	Assumed	NF	G	3,000	SF
			Tech Server					
			Storage 8					
			Dark Room					
S-JTC-51	S	Joint Compound, White, Chalky	Tech Lab	Assumed	NF	G	300	SF
			Tech Server					
			Storage 8					
			Dark Room					
M-CON-52	M	Concrete (Foundation), Gray, Cementitious	Tech Lab	Assumed	NF	G	4,000	SF
			Tech Server					
			Storage 8					
			Dark Room					
			Mechanical 2					
			Exterior					
M-WDB-53	M	Woven Duct Boot, 2", Black, Rubber-Like	Work Room	Assumed	NF	G	50	SF
			Detention					
			Phone					
			Men's Restroom 1					
			Women's Restroom 1					
			Work Room Storage					
			Mechanical 1					
			Pantry					
			Storage 1					
			Food Lab					
			Restroom 2					
			Laundry					
			Storage 2					
			Storage 3					

MATERIAL SAMPLE CODE	MTL TYPE	MATERIAL DESCRIPTION	MATERIAL LOCATION	ANALYTICAL RESULTS	FRIABILITY	MATERIAL ASSESS. CLASS	MTL QUAN	UNITS
	M/S/T			%/ASSUMED	NF/F	G/D/SD		LF/SF/EA
			Storage 4					
			Storage 5					
			Storage 6					
			Storage 7					
			Art					
			Cad					
			Tech Lab					
			Tech Server					
			Storage 8					
			Dark Room					
			Mechanical 2					
S-PLA-54	S	Plaster, Gray, Cementitious	Storage 5	Assumed	NF	G	400	SF
			Storage 6					
			Storage 7					

## 6-MONTH SURVEILLANCE INSPECTION TABLE

### IN-PLACE ASBESTOS-CONTAINING MATERIALS

MATERIAL SAMPLE CODE	MTL TYPE	MATERIAL DESCRIPTION	MATERIAL LOCATION	ANALYTICAL RESULTS	FRIABILITY	MATERIAL ASSESS. CLASS	MTL QUAN	UNITS
	M/S/T			%/ASSUMED	NF/F	G/D/SD		LF/SF/EA
M-BUR-01	M	Built-Up Roofing, Black, Asphaltic, Gray Mineral Cap	Roof	Assumed	NF	G	17,000	SF
M-MAS-02	M	Mastic (Penetrations And Flashings), Black, Brittle	Roof	Assumed	NF	G	150	SF
M-SLT-03	M	Sealant (Flashing), Gray, Pliable	Roof	Assumed	NF	G	50	SF
S-STU-04	S	Stucco, Gray, Cementitious	Exterior	Assumed	NF	G	3,000	SF
			Roof					
M-CMU-05	M	Concrete Masonry Unit, 4"X16", Gray, Cementitious, Tan	Exterior	Assumed	NF	G	9,500	SF
			Roof					
M-MRT-06	M	Mortar, Gray, Cementitious	Exterior	Assumed	NF	G	950	SF
			Roof					
M-SLT-07	M	Sealant (Wall, Flashing), Tan, Pliable	Exterior	Assumed	NF	G	35	SF
			Roof					
M-CON-10	M	Concrete (Entries), Gray, Cementitious	Exterior	Assumed	NF	G	7,000	SF
M-SLT-12	M	Sealant (Windows), Black, Tar- Like	Exterior	Assumed	NF	G	16	SF
M-FDI-13	M	Fire Door Insulation, Metal/Wood Cladding	Reception	Assumed	NF	G	609	SF
			Office 1					
			Restroom					

MATERIAL SAMPLE CODE	MTL TYPE	MATERIAL DESCRIPTION	MATERIAL LOCATION	ANALYTICAL RESULTS	FRIABILITY	MATERIAL ASSESS. CLASS	MTL QUAN	UNITS
	M/S/T			%/ASSUMED	NF/F	G/D/SD		LF/SF/EA
			Hallway 01					
			Office 2					
			Office 7					
			Iss					
			Supply 02					
			Hall 02					
			Professional Library					
			Vestibule 02					
			Men's Restroom					
			Women's Restroom					
			Computer 2					
			Computer					
			Storage 2					
			Mechanical					
			Vestibule 03					
			Health Office					
			Principal					
			Open Office					
			Library					
			Janitor					
			Corridor 01					
			Exterior					
S-SAT-15	S	Spray-Applied Texture, White, Chalky	Office 1	Assumed	NF	G	13,000	SF
			Conference					
			Office 2					
			Office 7					
			Vestibule 01					
			Iss					
			Supply 01					
			Supply 02					
			Professional Library					

MATERIAL SAMPLE CODE	MTL TYPE	MATERIAL DESCRIPTION	MATERIAL LOCATION	ANALYTICAL RESULTS	FRIABILITY	MATERIAL ASSESS. CLASS	MTL QUAN	UNITS
	M/S/T			%/ASSUMED	NF/F	G/D/SD		LF/SF/EA
			Computer 2					
			Storage 1					
			Printer					
			Computer					
			Storage 2					
			Vestibule 3					
			Health Office					
			Nurse Storage					
			Treatment					
			Nurse Office					
			Principal					
			Principal Closet					
			Library					
			Media Work Room					
M-GWB-16	M	Gypsum Wallboard, White, Chalky	Office 1	Assumed	NF	G	13,000	SF
			Conference					
			Office 2					
			Office 7					
			Vestibule 01					
			Iss					
			Supply 01					
			Supply 02					
			Professional Library					
			Computer 2					
			Storage 1					
			Printer					
			Computer					
			Storage 2					
			Vestibule 3					
			Health Office					
			Nurse Storage					
			Treatment					

MATERIAL SAMPLE CODE	MTL TYPE	MATERIAL DESCRIPTION	MATERIAL LOCATION	ANALYTICAL RESULTS	FRIABILITY	MATERIAL ASSESS. CLASS	MTL QUAN	UNITS
	M/S/T			%/ASSUMED	NF/F	G/D/SD		LF/SF/EA
			Nurse Office					
			Principal					
			Principal Closet					
			Library					
			Media Work Room					
S·JTC·17	S	Joint Compound, White, Chalky	Office 1	Assumed	NF	G	1,300	SF
			Conference					
			Office 2					
			Office 7					
			Vestibule 01					
			Iss					
			Supply 01					
			Supply 02					
			Professional Library					
			Computer 2					
			Storage 1					
			Printer					
			Computer					
			Storage 2					
			Vestibule 3					
			Health Office					
			Nurse Storage					
			Treatment					
			Nurse Office					
			Principal					
			Principal Closet					
			Library					
			Media Work Room					
M·SAC·29	M	Sink Acoustical Coating, Gray, Rough	Iss	Assumed	NF	G	10	SF
			Computer 2					

MATERIAL SAMPLE CODE	MTL TYPE	MATERIAL DESCRIPTION	MATERIAL LOCATION	ANALYTICAL RESULTS	FRIABILITY	MATERIAL ASSESS. CLASS	MTL QUAN	UNITS
	M/S/T			%/ASSUMED	NF/F	G/D/SD		LF/SF/EA
			Health Office					
			Treatment					
			Media Work Room					
M-GWT-30	M	Glazed Wall Tile, 4"X4", Tan, Smooth	Men's Restroom	Assumed	NF	G	1,000	SF
			Women's Restroom					
			Nurse Restroom					
			Treatment					
M-GRT-31	M	Grout, Gray, Cementitious	Men's Restroom	Assumed	NF	G	150	SF
			Women's Restroom					
			Nurse Restroom					
			Treatment					
M-CMT-32	M	Ceramic Mosaic Tile, 2"X2", Tan, Smooth	Men's Restroom	Assumed	NF	G	800	SF
			Women's Restroom					
			Nurse Restroom					
			Treatment					
M-GRT-33	M	Grout, Gray, Cementitious	Men's Restroom	Assumed	NF	G	100	SF
			Women's Restroom					
			Nurse Restroom					
			Treatment					
S-SAT-34	S	Spray-Applied Texture, White, Chalky	Men's Restroom	Assumed	NF	G	2,500	SF
			Women's Restroom					
			Nurse Restroom					
			Treatment					
M-GWB-35	M	Gypsum Wallboard, White, Chalky	Men's Restroom	Assumed	NF	G	2,500	SF
			Women's Restroom					

MATERIAL SAMPLE CODE	MTL TYPE	MATERIAL DESCRIPTION	MATERIAL LOCATION	ANALYTICAL RESULTS	FRIABILITY	MATERIAL ASSESS. CLASS	MTL QUAN	UNITS
	M/S/T			%/ASSUMED	NF/F	G/D/SD		LF/SF/EA
			Nurse Restroom					
			Treatment					
S·JTC·36	S	Joint Compound, White, Chalky	Men's Restroom	Assumed	NF	G	250	SF
			Women's Restroom					
			Nurse Restroom					
			Treatment					
S·TOT·37	S	Troweled-On Texture, White, Chalky	Hall 02	Assumed	NF	G	700	SF
			Mechanical					
M·GWB·38	M	Gypsum Wallboard, White, Chalky	Hall 02	Assumed	NF	G	700	SF
			Mechanical					
S·JTC·39	S	Joint Compound, White, Chalky	Hall 02	Assumed	NF	G	70	SF
			Mechanical					
M·GWT·41	M	Glazed Wall Tile (Pattern), 4"X4", Light Green, Smooth	Men's Restroom	Assumed	NF	G	250	SF
			Women's Restroom					
M·GWT·42	M	Glazed Wall Tile (Pattern), 4"X4", Green, Smooth	Men's Restroom	Assumed	NF	G	250	SF
			Women's Restroom					
M·CMT·43	M	Ceramic Mosaic Tile, 2"X2", Light Green, Smooth	Men's Restroom	Assumed	NF	G	100	SF
			Women's Restroom					
M·CMT·44	M	Ceramic Mosaic Tile, 2"X2", Green, Smooth	Men's Restroom	Assumed	NF	G	100	SF
			Women's Restroom					
M·ADH·45	M	Adhesive (FRP), Brown, Brittle	Janitor	Assumed	NF	G	15	SF



MATERIAL SAMPLE CODE	MTL TYPE	MATERIAL DESCRIPTION	MATERIAL LOCATION	ANALYTICAL RESULTS	FRIABILITY	MATERIAL ASSESS. CLASS	MTL QUAN	UNITS
	M/S/T			%/ASSUMED	NF/F	G/D/SD		LF/SF/EA
M-PES-46	M	Pipe End Sealant, White, Pliable	Mechanical	Assumed	NF	G	2	SF

## 6-MONTH SURVEILLANCE INSPECTION TABLE

### IN-PLACE ASBESTOS-CONTAINING MATERIALS

MATERIAL SAMPLE CODE	MTL TYPE	MATERIAL DESCRIPTION	MATERIAL LOCATION	ANALYTICAL RESULTS	FRIABILITY	MATERIAL ASSESS. CLASS	MTL QUAN	UNITS
	M/S/T			%/ASSUMED	NF/F	G/D/SD		LF/SF/EA
M-BUR-01	M	Built-Up Roofing, Black, Asphaltic, Gray Mineral Cap	Roof	Assumed	NF	G	16,000	SF
M-FDI-17	M	Fire Door Insulation, Metal/Wood Cladding	Lobby	Assumed	NF	G	1,596	SF
			Vestibule 3					
			Room L100					
			Room L107					
			Storage 3					
			Electrical					
			Band					
			Band Storage					
			Storage 2					
			Concession 1					
			Staff Restroom					
			Hall 1					
			Janitor					
			Vestibule 2					
			Room L103					
			Table Storage					
			Room L104					
			Room L104 Closet					
			Storage 1					
			Room L105					
			Vestibule 1					
			Multi-Purpose					
			Multi-Purpose Storage					
			Unisex Restroom 2					
			Locker Room					
			Walk In 1					

MATERIAL SAMPLE CODE	MTL TYPE	MATERIAL DESCRIPTION	MATERIAL LOCATION	ANALYTICAL RESULTS	FRIABILITY	MATERIAL ASSESS. CLASS	MTL QUAN	UNITS
	M/S/T			%/ASSUMED	NF/F	G/D/SD		LF/SF/EA
			Walk In 2					
			Laundry Room					
			Mop Sink					
			Serving					
			Serving Storage					
			Concession 2					
			Vestibule 4					
			Storage 4					
			Building Manager					
			Men's Restroom					
			Women's Restroom					
			Exterior					
M-ADH-40	M	Adhesive (Residual), Brown, Brittle	Men's Restroom	Assumed	NF	G	4,000	SF
			Women's Restroom					
M-MAS-58	M	Mastic (VCT), Black, Brittle	Janitor	Assumed	NF	G	75	SF
M-ADH-77	M	Adhesive (Mirror), Brown, Brittle	Green Room	Assumed	NF	G	150	SF
M-ADH-80	M	Adhesive (FRP), Brown, Brittle	Building Manager	Assumed	NF	G	100	SF

# THE ASBESTOS INSTITUTE

*Certifies that*

**Zachary Ridgeway**

has attended and received instruction in the EPA approved course

**AHERA Building Inspector Initial**

on

**March 6-8 2023**


and successfully completed and passed the competency exam.

Certificate:  
4380-15665-030823

Date of Examination:  
08-Mar-2023

Date of Expiration:  
08-Mar-2024

  
William T. Caviness  
Director

  
Approved Instructor

THE ASBESTOS INSTITUTE

20033 N. 19<sup>th</sup> Ave, Building 6, Phoenix, AZ 85027  
602-864-6564 – [www.theasbestosinstitute.com](http://www.theasbestosinstitute.com)

This training meets all requirements for asbestos certification under Basic Substance Control Act Title II.