

<p style="text-align: center;">MONSANTO COMPANY Safety Data Sheet Commercial Product</p>

1. PRODUCT AND COMPANY IDENTIFICATION

Product name

Certainty® Turf Herbicide

EPA Reg. No.

524-534

Product use

Herbicide

Chemical name

Not applicable.

Synonyms

None.

Company

MONSANTO COMPANY, 800 N. Lindbergh Blvd., St. Louis, MO, 63167

Telephone: 800-332-3111, **Fax:** 314-694-5557

E-mail: TS-SAFETYDATASHEET@DOMINO.MONSANTO.COM

Emergency numbers

FOR CHEMICAL EMERGENCY, SPILL LEAK, FIRE, EXPOSURE, OR ACCIDENT Call CHEMTREC - Day or Night: 1-800-424-9300 toll free in the continental U.S., Puerto Rico, Canada, or Virgin Islands. For calls originating elsewhere: 703-527-3887 (collect calls accepted).

FOR MEDICAL EMERGENCY - Day or Night: +1 (314) 694-4000 (collect calls accepted).

2. HAZARDS IDENTIFICATION

Emergency overview

Appearance and odour (colour/form/odour): Whitish / Granules, (free-flowing) / Odourless

CAUTION!

CAUSES MODERATE EYE IRRITATION

Potential health effects

Likely routes of exposure

Skin contact, eye contact

Eye contact, short term

May cause temporary eye irritation.

Skin contact, short term

Not expected to produce significant adverse effects when recommended use instructions are followed.

Inhalation, short term

Not expected to produce significant adverse effects when recommended use instructions are followed.

Potential other effects

Risk of dust explosion.

Refer to section 11 for toxicological and section 12 for environmental information.

OSHA Status

This product is hazardous according to the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Active ingredient

N-[[[4,6-dimethoxy-2-pyrimidinyl)amino]carbonyl]-2-(ethylsulfonyl)imidazo[1,2-a]pyridine-3-sulfonamide;
{Sulfosulfuron}

Composition

COMPONENT	CAS No.	% by weight (approximate)
Sulfosulfuron	141776-32-1	75
Other ingredients		25

The specific chemical identity is being withheld because it is trade secret information of Monsanto Company.

4. FIRST AID MEASURES

Use personal protection recommended in section 8.

Eye contact

If in eyes, hold eye open and rinse slowly and gently for 15-20 minutes. Remove contact lenses, if present, after first 5 minutes, then continue rinsing.

Skin contact

Wash affected skin with plenty of water.
Use soap if available.
Take off contaminated clothing, wristwatch, jewellery.
Wash clothes and clean shoes before re-use.

Inhalation

Remove to fresh air.

Ingestion

Remove particles from mouth.
Rinse mouth thoroughly with water.
Immediately offer water to drink.
Do NOT induce vomiting unless directed by medical personnel.
If symptoms occur, get medical attention.

5. FIRE-FIGHTING MEASURES

Flash point

Not applicable.

Extinguishing media

Recommended: Water, foam, dry chemical, carbon dioxide (CO₂)

Unusual fire and explosion hazards

If this material is milled or the process generates fines, the fines could form an explosive mixture if dispersed in a sufficient quantity of air.
Minimise use of water to prevent environmental contamination.
Environmental precautions: see section 6.

Hazardous products of combustion

Carbon monoxide (CO), sulphur oxides (SO_x), hydrogen chloride (HCl), nitrogen oxides (NO_x), ammonia (NH₃)

Fire fighting equipment

Self-contained breathing apparatus.
Equipment should be thoroughly decontaminated after use.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions

Use personal protection recommended in section 8.

Environmental precautions

Minimise spread.
Keep out of drains, sewers, ditches and water ways.
Consult an expert immediately.
Notify authorities.

Methods for cleaning up

Use vacuum equipment designed specifically for combustible dust.
Dig up heavily contaminated soil.
Collect in containers for disposal.
Flush residues with small quantities of water.
Minimise use of water to prevent environmental contamination.

Refer to section 13 for disposal of spilled material.

Use handling recommendations in Section 7 and personal protection recommendations in Section 8.

7. HANDLING AND STORAGE

Good industrial practice in housekeeping and personal hygiene should be followed.

Handling

When using do not eat, drink or smoke.
Wash hands thoroughly after handling or contact.
Wash contaminated clothing before re-use.
Thoroughly clean equipment after use.
Do not contaminate drains, sewers and water ways when disposing of equipment rinse water.
Refer to section 13 of the safety data sheet for disposal of rinse water.
Dust generated during handling and/or storage can form explosive mixtures in air.

Storage

Maximum storage temperature: < 120 °F
Incompatible materials for storage: none known.
Keep out of reach of children.
Keep away from food, drink and animal feed.
Keep only in the original container.
Use appropriate containment to avoid environmental contamination.
Keep container off wet floors.
Minimum shelf life: 2 years.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Airborne exposure limits

Components	Exposure Guidelines
Sulfosulfuron	No specific occupational exposure limit has been established.
Other ingredients	No specific occupational exposure limit has been established.

Engineering controls

No special requirement when used as recommended.

Eye protection

If there is significant potential for contact:
 Wear dust goggles.

Skin protection

If repeated or prolonged contact:
 Wear chemical resistant gloves.
 Applicators and other handlers must wear:
 Wear long sleeved shirt, long pants and shoes with socks.

Respiratory protection

No special requirement when used as recommended.

When recommended, consult manufacturer of personal protective equipment for the appropriate type of equipment for a given application.

9. PHYSICAL AND CHEMICAL PROPERTIES

These physical data are typical values based on material tested but may vary from sample to sample. Typical values should not be construed as a guaranteed analysis of any specific lot or as specifications for the product.

Colour/colour range:	Whitish
Odour:	Odourless
Form:	Granules, (free-flowing)
Physical form changes (melting, boiling, etc.):	
Melting point:	No data.
Boiling point:	Not applicable.
Flash point:	Not applicable.
Explosive properties:	No data.
Auto ignition temperature:	> 400 °C
Specific gravity:	Not applicable.
Particle size:	< 7 µm
	> 99.5 % Mesh size 40
Vapour pressure:	No significant volatility.
Vapour density:	Not applicable.
Evaporation rate:	Not applicable.
Dynamic viscosity:	Not applicable.
Kinematic viscosity:	Not applicable.
Density:	33.8 lb/ft ³ ; (pour density)
Solubility:	Water: Soluble
pH:	5.5 @ 10 g/l
Partition coefficient:	log Pow: < 1 (sulfosulfuron)

10. STABILITY AND REACTIVITY

Stability

Stable under normal conditions of handling and storage.

Oxidizing properties

No data.

Hazardous decomposition

Thermal decomposition: Hazardous products of combustion: see section 5.

Self-accelerating decomposition temperature (SADT)

No data.

Hazardous polymerization

Does not occur.

11. TOXICOLOGICAL INFORMATION

This section is intended for use by toxicologists and other health professionals.

Data obtained on product, similar products and on components are summarized below.

Acute oral toxicity

Mouse, LD50 (limit test): > 2,000 mg/kg body weight

FIFRA category III.

Slightly toxic.

No mortality.

Skin irritation

Rabbit, 6 animals, Draize test:

Days to heal: 0

Primary Irritation Index (PII): 0.0/8.0

FIFRA category IV.

No skin irritation.

Eye irritation

Rabbit, 6 animals, OECD 405 test:

Days to heal: 3

Slight irritation.

FIFRA category III.

Similar formulation

Acute oral toxicity

Rat, LD50: > 5,000 mg/kg body weight

Practically non-toxic.

FIFRA category IV.

No mortality.

Acute dermal toxicity

Rat, LD50: > 5,000 mg/kg body weight

Practically non-toxic.

FIFRA category IV.

No mortality.

Acute inhalation toxicity

Rat, LC50, 4 hours, dust: > 2.6 mg/L

Practically non-toxic.

FIFRA category IV.

Skin sensitization

Guinea pig, maximisation test:

Positive incidence: 0 %

Active ingredient

Mutagenicity

In vitro and in vivo mutagenicity test(s):

Not mutagenic.

Repeated dose toxicity

Rat, oral, 90 days:

NOAEL toxicity: 6,000 mg/kg diet
Other effects: weight loss

Mouse, oral, 90 days:

NOAEL toxicity: > 7,000 mg/kg diet
Other effects: none

Chronic effects/carcinogenicity

Mouse, oral, 18 months:

NOEL tumour: 3,000 mg/kg diet
NOAEL toxicity: 700 mg/kg diet
Tumours: urinary bladder
Target organs/systems: urinary bladder
Other effects: histopathologic effects, blood biochemistry effects
Tumours not relevant to man.

Rat, oral, 22 months:

NOEL tumour: 500 mg/kg diet
NOAEL toxicity: 500 mg/kg diet
Tumours: urinary bladder (carcinoma), urinary bladder (papilloma)
Target organs/systems: urethra, urinary bladder, kidneys
Other effects: organ weight change, histopathologic effects, increased mortality
Tumours not relevant to man.

Toxicity to reproduction/fertility

Rat, oral, 2 generations:

NOAEL toxicity: 5,000 mg/kg diet
NOAEL reproduction: 20,000 mg/kg diet
Target organs/systems in parents: kidneys
Other effects in parents: weight loss, decrease of body weight gain, organ weight change
Target organs/systems in pups: none
Other effects in pups: none

Developmental toxicity/teratogenicity

Rat, oral, 6 - 15 days of gestation:

NOAEL toxicity: 1,000 mg/kg body weight/day
NOAEL development: 1,000 mg/kg body weight/day
Target organs/systems in mother animal: none
Other effects in mother animal: none
Developmental effects: none
No adverse treatment related effects in offspring.

Rabbit, oral, 7 - 18 days of gestation:

NOAEL toxicity: 1,000 mg/kg body weight/day
NOAEL development: 1,000 mg/kg body weight/day
Target organs/systems in mother animal: none
Other effects in mother animal: none
Developmental effects: none

12. ECOLOGICAL INFORMATION

This section is intended for use by ecotoxicologists and other environmental specialists.

Data obtained on product or on similar products are summarized below.

Arthropod toxicity

Honey bee (*Apis mellifera*):

Oral/contact, 48 hours, LD50: > 26.5 µg/bee

Similar formulation

Aquatic toxicity, fish

Rainbow trout (*Oncorhynchus mykiss*):

Acute toxicity (limit test), 96 hours, static, LC50: > 97 mg/L
No more than slightly toxic.

Aquatic toxicity, invertebrates

Water flea (*Daphnia magna*):

Acute toxicity (limit test), 48 hours, static, EC50: > 101 mg/L
Practically non-toxic.

Similar formulation

Aquatic toxicity, algae/aquatic plants

Green algae (*Selenastrum capricornutum*):

Acute toxicity, 72 hours, static, EC50: 0.12 mg/L
Highly toxic.

Active ingredient

Avian toxicity

Bobwhite quail (*Colinus virginianus*):

Dietary toxicity, 5 days, LC50: > 5,620 mg/kg diet
Practically non-toxic.

Mallard duck (*Anas platyrhynchos*):

Dietary toxicity, 5 days, LC50: > 5,620 mg/kg diet
Practically non-toxic.

Bobwhite quail (*Colinus virginianus*):

Acute oral toxicity, single dose, LD50: > 2,250 mg/kg body weight
Practically non-toxic.

Mallard duck (*Anas platyrhynchos*):

Acute oral toxicity, single dose, LD50: > 2,250 mg/kg body weight
Practically non-toxic.

Soil organism toxicity, invertebrates

Earthworm (*Eisenia foetida*):

Acute toxicity (limit test), 14 days, LC50: > 848 mg/kg dry soil

Bioaccumulation

No significant bioaccumulation is expected.

Dissipation

Soil, field:

Half life: 11 - 47 days

Water, aerobic:

Half life: 16 - 20 days

13. DISPOSAL CONSIDERATIONS

Product

Keep out of drains, sewers, ditches and water ways.
Recycle if appropriate facilities/equipment available.
Burn in proper incinerator.
Follow all local/regional/national/international regulations.

Container

See the individual container label for disposal information.
Emptied packages retain product residue and dust.
Observe all labelled safeguards until container is cleaned, reconditioned or destroyed.
Empty packaging completely.
Ensure packaging cannot be reused.
Do NOT re-use containers.
Store for collection by approved waste disposal service.

Recycle if appropriate facilities/equipment available.
Bury in approved landfill.
Follow all local/regional/national/international regulations.

Use handling recommendations in Section 7 and personal protection recommendations in Section 8.

14. TRANSPORT INFORMATION

The data provided in this section is for information only. Please apply the appropriate regulations to properly classify your shipment for transportation.

Not hazardous under the applicable DOT, ICAO/IATA, IMO, TDG and Mexican regulations.

15. REGULATORY INFORMATION

TSCA Inventory

Exempt

OSHA Hazardous Components

Surfactant(s)

SARA Title III Rules

Section 311/312 Hazard Categories

Immediate

Section 302 Extremely Hazardous Substances

Not applicable.

Section 313 Toxic Chemical(s)

Not applicable.

CERCLA Reportable quantity

Not applicable.

16. OTHER INFORMATION

The information given here is not necessarily exhaustive but is representative of relevant, reliable data.

Follow all local/regional/national/international regulations.

Please consult supplier if further information is needed.

In this document the British spelling was applied.

|| Significant changes versus previous edition.

	Health	Flammability	Instability	Additional Markings
NFPA	1	1	1	

0 = Minimal hazard, 1 = Slight hazard, 2 = Moderate hazard, 3 = Severe hazard, 4 = Extreme hazard

Full denomination of most frequently used acronyms. BCF (Bioconcentration Factor), BOD (Biochemical Oxygen Demand), COD (Chemical Oxygen Demand), EC50 (50% effect concentration), ED50 (50% effect dose), I.M. (intramuscular), I.P. (intraperitoneal), I.V. (intravenous), Koc (Soil adsorption coefficient), LC50 (50% lethality concentration), LD50 (50% lethality dose), LDLo (Lower limit of lethal dosage), LEL (Lower Explosion Limit), LOAEC (Lowest Observed Adverse Effect Concentration), LOAEL (Lowest Observed Adverse Effect Level), LOEC (Lowest Observed Effect Concentration), LOEL (Lowest Observed Effect Level), MEL (Maximum Exposure limit), MTD (Maximum Tolerated Dose), NOAEC (No Observed Adverse Effect Concentration), NOAEL (No Observed Adverse Effect Level), NOEC (No Observed Effect Concentration), NOEL (No Observed Effect Level), OEL (Occupational Exposure Limit), PEL (Permissible Exposure Limit), PII (Primary Irritation Index), Pow (Partition coefficient n-octanol/water), S.C. (subcutaneous), STEL (Short-Term Exposure Limit), TLV-C (Threshold Limit Value-Ceiling), TLV-TWA (Threshold Limit Value - Time Weighted Average), UEL (Upper Explosion Limit)

<p>This Material Safety Data Sheet (MSDS) serves different purposes than and DOES NOT REPLACE OR MODIFY THE EPA-APPROVED PRODUCT LABELING (attached to and accompanying the product container). This MSDS provides important health, safety, and environmental information for</p>
--

employers, employees, emergency responders and others handling large quantities of the product in activities generally other than product use, while the labeling provides that information specifically for product use in the ordinary course. Use, storage and disposal of pesticide products are regulated by the EPA under the authority of the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA) through the product labeling, and all necessary and appropriate precautionary, use, storage, and disposal information is set forth on that labeling. It is a violation of federal law to use a pesticide product in any manner not prescribed on the EPA-approved label.

Although the information and recommendations set forth herein (hereinafter "Information") are presented in good faith and believed to be correct as of the date hereof, MONSANTO Company or any of its subsidiaries makes no representations as to the completeness or accuracy thereof. Information is supplied upon the condition that the persons receiving same will make their own determination as to its suitability for the purposes prior to use. In no event will MONSANTO Company or any of its subsidiaries be responsible for damages of any nature whatsoever resulting from the use of or reliance upon information. NO REPRESENTATIONS OR WARRANTIES, EITHER EXPRESS OR IMPLIED, OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR OF ANY OTHER NATURE ARE MADE HEREUNDER WITH RESPECT TO INFORMATION OR TO THE PRODUCT TO WHICH INFORMATION REFERS.