



Material Safety Data Sheet

**MAXFORCE® FC PROFESSIONAL INSECT CONTROL®
ROACH KILLER BAIT GEL**

MSDS Number: 102000019405
MSDS Version 1.0
Revision Date: 10/04/2007

SECTION 1. CHEMICAL PRODUCT AND COMPANY INFORMATION

Product Name MAXFORCE® FC PROFESSIONAL INSECT CONTROL® ROACH KILLER BAIT GEL
MSDS Number 102000019405
EPA Registration No. 432-1259

Bayer Environmental Science
2 T.W. Alexander Drive
Research Triangle PK, NC 27709
USA

For MEDICAL, TRANSPORTATION or other EMERGENCY call: 1-800-334-7577 (24 hours/day)
For Product Information call: 1-800-331-2867

SECTION 2. COMPOSITION/INFORMATION ON INGREDIENTS

<u>Hazardous Component Name</u>	<u>CAS-No.</u>	<u>Average % by Weight</u>
Fipronil	120068-37-3	0.01
Starch	9005-25-8	1.00

SECTION 3. HAZARDS IDENTIFICATION

NOTE: Please refer to Section 11 for detailed toxicological information.

Emergency Overview Caution! Keep exposed gel away from open food and food contact surfaces. Harmful if absorbed through skin. Moderate eye irritation. Avoid contact with skin, eyes and clothing. Wash thoroughly with soap and water after handling.

Physical State gel

Routes of Exposure Eye contact, Skin Absorption, Skin contact, Ingestion

Immediate Effects

Eye Moderate eye irritation. Avoid contact with eyes.

Skin May cause slight irritation. Harmful if absorbed through skin. Avoid contact with skin and clothing.

Ingestion Do not take internally.

Chronic or Delayed Long-Term This product or its components may have target organ effects. This product or its components may have long term (chronic) health effects.



Material Safety Data Sheet

MSDS Number: 102000019405
MSDS Version 1.0

**MAXFORCE® FC PROFESSIONAL INSECT CONTROL®
ROACH KILLER BAIT GEL**

Medical Conditions Aggravated by Exposure No specific medical conditions are known which may be aggravated by exposure to this product.

SECTION 4. FIRST AID MEASURES

General When possible, have the product container or label with you when calling a poison control center or doctor or going for treatment.

Eye Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a physician or poison control center immediately.

Skin Take off contaminated clothing and shoes immediately. Wash off immediately with plenty of water for at least 15 minutes. Call a physician or poison control center immediately.

Ingestion Call a physician or poison control center immediately. Rinse out mouth and give water in small sips to drink. DO NOT induce vomiting unless directed to do so by a physician or poison control center. Never give anything by mouth to an unconscious person. Do not leave victim unattended.

Inhalation Move to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a physician or poison control center immediately.

Notes to Physician Treatment There is no specific antidote. Appropriate supportive and symptomatic treatment as indicated by the patient's condition is recommended.

SECTION 5. FIRE FIGHTING MEASURES

Suitable Extinguishing Media Dry chemical, Foam, Water, Carbon dioxide (CO2)

Fire Fighting Instructions Keep out of smoke. Fight fire from upwind position. Do not allow run-off from fire fighting to enter drains or water courses.

Firefighters should wear NIOSH approved self-contained breathing apparatus and full protective clothing.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal Precautions Keep unauthorized people away. Isolate hazard area. Avoid contact with spilled product or contaminated surfaces.



Material Safety Data Sheet

MSDS Number: 102000019405
MSDS Version 1.0

**MAXFORCE® FC PROFESSIONAL INSECT CONTROL®
ROACH KILLER BAIT GEL**

Methods for Cleaning Up Collect and transfer the product into a properly labelled and tightly closed container. Clean contaminated floors and objects thoroughly, observing environmental regulations.

Additional Advice Use personal protective equipment.

SECTION 7. HANDLING AND STORAGE

Handling Procedures Product will stain porous surfaces. Use only in area provided with appropriate exhaust ventilation.

Storing Procedures Keep away from direct sunlight. Keep out of reach of children and animals. Store in a cool, dry place and in such a manner as to prevent cross contamination with other pesticides, fertilizers, food, and feed.

Work/Hygienic Procedures Keep away from food, drink and animal feedingstuffs.

Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, using the toilet or applying cosmetics.

SECTION 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

General Protection Follow all label instructions. Train employees in safe use of the product.

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and warm/tepid water. Keep and wash PPE separately from other laundry.

Eye/Face Protection protective eyewear

Hand Protection Chemical resistant nitrile rubber gloves

Body Protection Skin contact should be prevented.
Wear long-sleeved shirt and long pants and shoes plus socks.

Exposure Limits

1,2-Propanediol	57-55-6	WEEL	TWA		10 mg/m3
		Form of exposure		Aerosol.	
Starch	9005-25-8	ACGIH	TWA		10 mg/m3
		NIOSH	REL		5 mg/m3
		Form of exposure		Respirable.	
		NIOSH	REL		10 mg/m3
		Form of exposure		Total	
		OSHA Z1	PEL		5 mg/m3



Material Safety Data Sheet

**MAXFORCE® FC PROFESSIONAL INSECT CONTROL®
ROACH KILLER BAIT GEL**

MSDS Number: 102000019405
MSDS Version 1.0

Form of exposure		Respirable fraction.
OSHA Z1	PEL	15 mg/m3
Form of exposure		Total dust.
OSHA Z1A	TWA	5 mg/m3
Form of exposure		Respirable fraction.
OSHA Z1A	TWA	15 mg/m3
Form of exposure		Total dust.
US CA OEL	TWA PEL	5 mg/m3
Form of exposure		Respirable fraction.
US CA OEL	TWA PEL	10 mg/m3
Form of exposure		Total dust.
Z3	TWA	15 millions of particles per cubic foot of air
Form of exposure		Respirable fraction.
Z3	TWA	50 millions of particles per cubic foot of air
Form of exposure		Total dust.
Z3	TWA	5 mg/m3
Form of exposure		Respirable fraction.
Z3	TWA	15 mg/m3
Form of exposure		Total dust.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State gel

SECTION 10. STABILITY AND REACTIVITY

Conditions to Avoid Extremes of temperature and direct sunlight.
Exposure to moisture.

Hazardous Reactions Stable under normal conditions.

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity data have been bridged from a similar formulation containing a slightly higher percentage of the active ingredient, fipronil. The non-acute information pertains to technical-grade active ingredient.

Acute Oral Toxicity rat: LD50: > 5,000 mg/kg

Acute Dermal Toxicity rat: LD50: > 5,000 mg/kg

Skin Irritation rabbit: Slight irritation.

Eye Irritation rabbit: Minimally irritating.



Material Safety Data Sheet

MSDS Number: 102000019405
MSDS Version 1.0

**MAXFORCE® FC PROFESSIONAL INSECT CONTROL®
ROACH KILLER BAIT GEL**

Sensitization guinea pig: Non-sensitizing.

Chronic Toxicity Fipronil caused liver, kidney or thyroid effects and/or neurobehavioral effects (e.g., tremors) in chronic toxicity studies in rats and dogs. Fipronil did not induce any microscopic lesions in the neural tissues.

Assessment Carcinogenicity

Fipronil has been classified by EPA as a Category C carcinogen based on thyroid tumors in rats only. These tumors are produced by a mechanism which is not relevant to human cancer. Fipronil did not produce an increase in tumor incidence in mice.

ACGIH

Starch

9005-25-8

Group A4

NTP

None.

IARC

None.

OSHA

None.

Reproductive & Developmental Toxicity REPRODUCTION: Fipronil was not considered a primary reproductive toxicant in rats.

DEVELOPMENTAL TOXICITY: Fipronil was not a developmental toxicant in rats and rabbits.

Neurotoxicity Fipronil caused transient neurobehavioral effects (e.g., tremors) in neurotoxicity studies in rats. Delays in developmental landmarks were observed in rats at maternally toxic doses.

Mutagenicity Fipronil was not mutagenic or genotoxic in a battery of in vitro and in vivo tests.

SECTION 12. ECOLOGICAL INFORMATION

Environmental Precautions Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate surface or ground water by cleaning equipment or disposal of wastes, including equipment wash water. Apply this product as specified on the label.



Material Safety Data Sheet

**MAXFORCE® FC PROFESSIONAL INSECT CONTROL®
ROACH KILLER BAIT GEL**

MSDS Number: 102000019405
MSDS Version 1.0

Safe Drinking Water Act Maximum Contaminant Levels
None.

International Regulations

European Inventory of Existing Commercial Substances (EINECS)
Starch 9005-25-8

SECTION 16. OTHER INFORMATION

NFPA 704 (National Fire Protection Association):

Health - 1 Flammability - 1 Reactivity - 0 Others - none

0 = minimal hazard, 1 = slight hazard, 2 = moderate hazard, 3 = severe hazard, 4 = extreme hazard

Reason to Revise: Updated for general editorial purposes. Updated due to new system and numbering scheme.

Revision Date: 10/04/2007

This information is provided in good faith but without express or implied warranty. The customer assumes all responsibility for safety and use not in accordance with label instructions. The product names are registered trademarks of Bayer.